

upper-alpha: A, B, C, D, E, etc.

lower-alpha: a, b, c, d, e, etc.

upper-roman: I, II, III, IV, V, etc.

Let's try some basic list styling. Create a new style sheet called `lists.css`, and remember to link to it in the head of `lists.html`. In `lists.css` you can try out each of the values by first adding the following selector for the unordered list element:

```
/* Styles for all default lists */
ul {
  list-style-type: circle;
}
```



The bullets can be changed through CSS

Specifying `disc` would have made no difference as that marker was already used by default. Square would produce a small squared marker. If you wish to do away from any kind of basic marker use the `'none'` value, which removes the marker altogether. You can also add a custom marker of your own using an image, as you'll discover later in the chapter.

6.1.2 Margin and padding

Notice that the actual list items do not move back to the left despite the lack of a marker, which leaves too much whitespace in front of each item. Therefore, the default padding applied by the browser can be reduced by specifying your preferred padding. Most browsers place the list items 30 pixels away from the left edge of the unordered list (default padding) and the unordered list itself approximately 10 pixels from the top edge of the container (default margin).

Notice also that each list item is block level. Therefore it will expand to fill the width of its container, and items above and below will wrap to a new line. Each of these defaults can be overridden with simple CSS declarations. To remove the default margin from the top and bottom of the unordered list, specify zero margins: