

```
</ul>
<ul id="food">
<li>Food Menu</li>
<li>Toast</li>
<li>Cornflakes</li>
<li>Burgers</li>
<li>Steak</li>
<li>Salad</li>
<li>Fries</li>
</ul>
```

Each unordered list is given a unique ID. Thus, `id="drinks"` will not be used again on the page at any time, and allows that particular list to be styled uniquely. Likewise, the second list is the food menu, also unique. The CSS from the previous inline list example will suffice here, but if you need it again, use the following two selectors. Note that we are sticking with inline examples here, mainly to save page space, although everything is applicable to default vertical lists.

```
ul {
list-style:none;
}
li {
display:inline;
background:transparent url(images/list.gif) no-repeat
left center;
margin:0 0 0 10px;
padding:0 0 0 15px;
}
```

As things stand, the CSS will style both lists in an identical fashion, as it is not targeted to look for a particular ID

In some cases, this approach might be ideal, such as horizontal sidebar lists where all items should be rendered in the same way, but need to be separated into different unordered lists (to allow headings to be placed above each). However, the additional IDs added to each list allow you to target each with specific CSS selectors. For example, let's assign a different background image bullet for each list. As it is only the images that need to change, the `ul` selector is shared across both lists, and can be left unaltered. Also, all `li` declarations that are shared are first grouped together, before the targeted declarations are set separately.