

```
padding:0 0 0 15px;
background:transparent url(images/list.gif) no-repeat
left center;
}
```

So now the second-level `ul` selector (`ul li ul`) is still ensuring any information within it will be gray, but also turning off bullets for that list only. Also, the extra descendant selector for its list elements (`ul li ul li`) is tasked with applying a custom background image to those elements only.

6.3 Lists for navigation

A common feature of web sites built using web standards are navigation menus constructed using an unordered list. Using the `<ul>` element in this sense is semantically correct, with each destination link defined as an individual list item. This approach provides incredible flexibility, allowing the navigation list to be either horizontal or vertical as defined using CSS, and also allows for a seemingly unlimited number of styling approaches. Already in this chapter you have learned how to take the default vertical list and transform it into a simple horizontal navigation. Now, let's take things a step further and create a good-looking vertical navigation list, where each destination link is styled as though a graphic button.

6.3.1 The vertical navigation bar

A very common feature of many web sites is the vertical navigation bar created with simple list markup. The goal here is to turn each list element into a button without using any images whatsoever. Let's jump back to the concept of the simple list. For this task, a simpler unordered list is useful—just one level of list elements.

```
<ul>
<li>Beer</li>
<li>Spirits</li>
<li>Cola</li>
<li>Lemonade</li>
<li>Tea</li>
<li>Coffee</li>
</ul>
```

Remove All Default Spacing. This brings us back to the very simple display. First, the list elements need to be pulled to the top and left edges of the container.