

```
<ol>
<li>Beer</li>
<li>Spirits</li>
<li>Cola</li>
<li>Lemonade</li>
<li>Tea</li>
<li>Coffee</li>
</ol>
```

The beauty of the ordered list is its flexibility. If it were necessary to add another drink to the list at any point, the automatic numbering would compensate appropriately, renumbering all list items that followed. Remember that other list-style-type declarations can be made to replace the auto generated numbers with other characters, such as upper-alpha, lower-alpha, and upper-roman.

#### 6.4.1 Controlling the ordered list

While the default unordered list works like magic, there may be occasions where you wish to replace the default numerical characters with your own custom numbers. This is relatively simple, but does involve extra markup. The first thing to do is to identify each list item with its own unique class.

```
<ol>
<li class="one">Beer</li>
<li class="two">Spirits</li>
<li class="three">Cola</li>
<li class="four">Lemonade</li>
<li class="five">Tea</li>
<li class="six">Coffee</li>
</ol>
```

It should be noted that by utilizing this method, you are removing the browser's ability to automatically number your list items should you wish to insert another item in the middle. The reason an ordered list is useful here though is that if the style sheet were unavailable, the default numbers would be returned, and the list would still be ordered, keeping things semantically correct. The following approach will of course work for unordered lists, as well.