

```
<?php
}
add_action('wp_head','additional_css');
```

Using jQuery to create a click event to display the form

```
function additional_js()
{
wp_enqueue_script('jquery');
wp_print_scripts();
?>
<script type="text/javascript">
jQuery(document).ready(function(){
jQuery('#search_link').click(function() {
jQuery('#example_search_form').show("slow");
});
});
</script>
<?php
}
add_action('wp_head','additional_js');
```

Clearly, this is a simplistic example. You can use jQuery to provide many different interactive possibilities to a Web site and, for the WordPress Admin, it is the preferred JavaScript framework to use because it is already in use throughout the backend.

Prototype

The second JavaScript framework that is bundled and available to WordPress developers by default is Prototype (documented at www.prototypejs.org/). Like jQuery, Prototype uses the \$ function throughout but unlike jQuery, it does not provide a way for a “no conflict” mode. Prototype is used by the WordPress core in only three parts of the WordPress Admin. Primarily, it is used in conjunction with TinyMCE (the rich text editor provided by WordPress for writing posts), the flash-based media uploader, and the Blogger import script.

The media uploader in WordPress is based on Flash and Prototype. However, Prototype was used more in the past, but many plugins still rely on the framework, so it is still part of a bundled JavaScript framework, and some of the core features of WordPress make use of it.