

Posts in a data context could include blog posts (default), pages, and attachments like image uploads, and so on. It is conceivable that plugin authors could provide their own new type of post. The type of post (post, page, revision, attachment) is determined by the `post_type` column. WordPress ignores `post_types` it doesn't know about, making this a good place to store data, as an alternative to creating your own tables.

postmeta

The `postmeta` property holds the name of the `postmeta` table, including the table prefix. Most often, it is set to `wp_postmeta`. The database schema for the `postmeta` table, which includes additional data related to individual posts. Generally, these are custom fields but plugin authors could use the table for storing their own metadata relating to posts.

users

The `users` property holds the name of the user table in WordPress, including the table prefix. Most often, it is set to `wp_users`. It is one of two tables that include all the pertinent information about the users in your WordPress

blog.

The `commentmeta` property contains the name of the table containing metadata about individual comments. It can be used by plugin authors to add ad hoc data about comments to the database. The table schema for the `commentmeta` table was added in WordPress 2.9 and is listed here in

options

The `options` table collects and stores all the settings for WordPress and many plugins. The name of this table, including the table prefix, is stored in the `options` property. Plugin authors should feel comfortable using this table for setting storage. It can be manipulated with `add_option()`, `update_option()`, and `get_option()`.

terms

The `terms` property stores the name, including table prefix, of the terms table. The terms table stores metadata that are referred to generically as terms. Terms can be categories, tags, or link categories and can be extended to other areas by plugin developers