

1.3 Installing WordPress

Now that you have all the elements in place to run WordPress efficiently, PHP 4.3 or better, MySQL 4.1.2 or better, Apache or another configured Web server, and perhaps some optional caching or communications modules. The file size for a copy of WordPress is intentionally small. The total size of the ZIP file for WordPress 2.8 is 2.2MB. You can download the file at <http://wordpress.org/latest.zip>. Then unzip the file to find the `wordpress/` directory.

1.4 Configuring the database

When you installed MySQL earlier, you didn't create any databases. Most servers have some sort of Graphical User Interface (GUI) for doing this. Most of these GUIs use a web-based software called phpMyAdmin for managing databases.

If you don't want to use phpMyAdmin, you can create a database from the command line as shown below. The first command creates a new database called `wordpress`. The second command creates a new user called `wpuser` and sets the password to `wppassword`. It assigns the new `wpuser` to the `wordpress` database (and all tables in the `wordpress` database) and it gives it full access to that database, as long as the user is trying to access the server only from the same server (`localhost`). In some rare cases, your hostname will be different than `localhost`, but generally, for a single WordPress install on a single server, `localhost` will do.

Creating a MySQL database, username, and password for WordPress

```
[root@wpftdigit ~]# mysql -uroot -p
Enter password: <enter root password>
Welcome to the MySQL monitor. Commands end with ; or \g.
Your MySQL connection id is 1
Server version: 5.0.67-0ubuntu6 (Ubuntu)
Type 'help;' or '\h' for help. Type '\c' to clear the
buffer.

mysql> CREATE DATABASE wordpress;
Query OK, 1 row affected (0.00 sec)

mysql> GRANT ALL PRIVILEGES ON wordpress.* TO wpuser@
localhost IDENTIFIED BY 'wppassword';
Query OK, 0 rows affected (0.00 sec)
<enter Ctrl-D to exit MySQL>
mysql> Bye
```