

1.5 Defining windows and pages

Stand-alone applications and browser-based applications look very similar; the only obvious difference between them is that the stand-alone application contains a Window element and an XBAP contains a Page element. A Window is a top-level window, whereas a Page is a browser-based page. WPF stand-alone applications can contain windows or pages, but WPF browser applications can only contain pages. WPF browser applications use a different navigation style and are typically limited in their access to system resources.

1.5.1 Window

```
<Window
    xmlns:x="..."
    xmlns="..."
    x:Class="MyApp.Window1" Title="My Window">
    <Grid>
        ...
    </Grid>
</Window>
```

1.5.2 Page

```
<Page
    xmlns:x="..."
    xmlns="..."
    x:Class="MyApp.Page1" WindowTitle="My Page">
    <Grid>
        ...
    </Grid>
</Page>
```

1.6 Adding controls to an application

In WPF, "control" is an umbrella term that applies to a category of WPF classes that are hosted in either a window or a page, have a user interface, and implement some behaviour. WPF ships with a library of the common UI components that are used in almost every Windows-based application, such as Button, Label, TextBox, Menu, and ListBox.

When you use Visual Studio 2010, you can see what WPF controls are available for use by looking in the toolbox. You can add controls by dragging the control from the toolbox and dropping it onto your