

- button11 to oneButton
- button12 to twoButton
- button13 to threeButton
- button14 to subtractionButton
- button15 to equalsButton
- button16 to zeroButton
- button17 to changeSignButton
- button18 to decimalButton
- button19 to additionButton

4. Using the Document Outline and Properties windows, change the Text property value for each Button control name according to the following list:

- Change the sevenButton control text property to 7
- Change the eightButton control text property to 8
- Change the nineButton control text property to 9
- Change the divisionButton control text property to /
- Change the clearButton control text property to Clear
- Change the fourButton control text property to 4
- Change the fiveButton control text property to 5
- Change the sixButton control text property to 6
- Change the multiplicationButton control text property to *
- Change the oneButton control text property to 1
- Change the twoButton control text property to 2
- Change the threeButton control text property to 3
- Change the subtractionButton control text property to -
- Change the equalsButton control text property to =
- Change the zeroButton control text property to 0
- Change the changeSignButton control text property to +/-
- Change the decimalButton control text property to .
- Change the additionButton control text property to +

5. On the designer surface, select all the Button controls by clicking them while holding down the SHIFT key.

6. In the Properties window, expand the Font property node. Set Size to 14, and set Bold to true for all the Button controls. This completes the design of the DemoCalculator control. All that remains is to provide the calculator logic.

7.3.4 Implementing event handlers

The buttons on the DemoCalculator control have event handlers that can be used to implement much of the calculator logic. The Windows Forms