

Help		
Command	Shortcut	Description
Help.Contents	CTRL-ALT-F1	Displays the Contents window for the documentation.
Help.DynamicHelp	CTRL-F1	Displays the Dynamic Help window, which displays different topics depending on what items currently have focus. If the focus is in a source window, the Dynamic Help window will display help topics that are relevant to the text under the cursor.
Help.F1Help	F1	Displays a topic from Help that corresponds to the part of the user interface that currently has the focus. If the focus is in a source window, Help will try to display a topic relevant to the text under the cursor.
Help.Index	CTRL-ALT-F2	Displays the Help Index window.
Help.Indexresults	SHIFT-ALT-F2	Displays the Index Results window, which lists the topics that contain the keyword selected in the Index window.
Help.NextTopic	ALT-DOWN ARROW	Displays the next topic in the table of contents. Available only in the Help browser window.
Help.PreviousTopic	ALT-UP ARROW	Displays the previous topic in the table of contents. Available only in the Help browser window.
Help.Search	CTRL-ALT-F3	Displays the Search window, which allows you to search for words or phrases in the documentation.
Help.Searchresults	SHIFT-ALT-F3	Displays the Search Results window, which displays a list of topics that contain the string searched for from the Search window.
Help.WindowHelp	SHIFT-F1	Displays a topic from Help that corresponds to the user interface item that has the focus.

Debugging		
Command	Shortcut	Description
Debug.ApplyCodeChanges	ALT-F10	Starts an edit and continue build to apply changes to code being debugged. Edit and continue is available only in C++ projects.
Debug.Autos	CTRL-ALT-V, A	Displays the Auto window to view the values of variables currently in the scope of the current line of execution within the current procedure.
Debug.BreakAll	CTRL-ALT-Break	Temporarily stops execution of all processes in a debugging session. Available only in run mode.
Debug.Breakpoints	CTRL-ALT-B	Displays the Breakpoints dialog, where you can add and modify breakpoints.
Debug.CallStack	CTRL-ALT-C	Displays the Call Stack window to display a list of all active procedures or stack frames for the current thread of execution. Available only in break mode.
Debug.ClearAllBreakpoints	CTRL-SHIFT-F9	Clears all of the breakpoints in the project.
Debug.Disassembly	CTRL-ALT-D	Displays the Disassembly window.
Debug.EnableBreakpoint	CTRL-F9	Enables or disables the breakpoint on the current line of code. The line must already have a breakpoint for this to work.
Debug.Exceptions	CTRL-ALT-E	Displays the Exceptions dialog.
Debug.Immediate	CTRL-ALT-I	Displays the Immediate window, where you can evaluate expressions and execute individual commands.