


requires layout height of `fill_parent`, it will push the Update button out of the screen, as request for space from Button followed request for Status. However, setting Status widget's weight to 1 allocates all available space in height, but yields to other widgets (like the Update button here) that may need space.

layout_gravity

This property specifies the position of a particular widget within its layout, horizontally and vertically. Values you can specify include top, center, left and so forth. But, if your widget is set to `fill_parent`, centering it won't do anything, as it's already taking all the available space. However, if the title TextView had its width set to `wrap_content`, centering with `layout_gravity` works.



Centering with `layout_gravity`

gravity

Gravity property specifies positioning of content within the widget itself. The choice between `layout_gravity` and `gravity` depends on the size of the widget and the desired look.

text

Widgets like Button, EditText and TextView have this property. It specifies the text for the widget. A good practice is to define all text in the `strings.xml` resource and refer to a particular string using `@string/<String_name>`, else the layout will work only in one locale or language.

id

This specifies a unique identifier for a widget in a particular layout resource. Use of id should be kept to a minimum to prevent clutter. Widgets that need to be manipulated in Java require an id. Id has a format: `@id/<id_name>`

3.4 Building with Java

You'll find a class named `StatusActivity.java` in `src/com/thinkdigit/envy`, which was created by the Eclipse 'New Project' dialog. It forms part of the package `com.thinkdigit.envy`

3.4.1 Application-specific Object and Initialization code

We start by subclassing a base class provided by the Android framework and overriding certain inherited methods. We subclass Android's activity