

it also is capable of keeping things secure by asking visitors a password! The two most popular FTP daemons (read services) for Ubuntu are *vsftpd* and *proftpd*. Unless you are really in mood to configure things in the config-file style, we suggest you go for the *proftpd* package and also install the *gadmin-proftpd* package to make sure you have a GUI helper to get things working fast and easy way. Geeks can go for *vsftpd* for it stands for ‘Very Secure FTP Daemon’ and is something Ubuntu recommends.

Proxy server

Squid is something which lives in the water. That is fine for those interested in animal life. For those who want to make sure that people on the network follow the rules set by you when it comes to what to browse and what not to, Squid is synonymous to ‘proxy’. It can be used as a proxy server for blocking unwanted web sites, proving a simpler way to access the web in complicated environment and at times saving bandwidth by using its web cache feature! No matter why you want to use a proxy server, Squid is something you are going to turn to later, if not sooner.

Web Server

Web pages are what make the web sites. Web sites are what make the web and a web server is what serves the web page. Without a web server, there would be no web at all. Linux is one of the most used operating systems as a web server machine and the most popular web server (sometimes it seems like its the only one) is the Apache web server. While apache web server can also be installed on a Windows machine, it enjoys the status of being the most preferred server on a Linux and Mac machines. Apache is unique with its modular architecture where you can enable support for a huge number of functionalities and additional protocols over the web server by adding mods (or plugins). It is easy to enable or disable modules by editing the right configuration file. You can find apache in the Synaptic by name ‘apache2’.

While there is a whole lot of configuration options for any server, and especially web servers, the most important of all for the apache 2 web server would be *httpd.conf* file. On most Linux distributions it can be found in */etc/apache2* directory. However, this file is not the one which is most important to Ubuntu. For Ubuntu, you should get interested in */etc/apache2/apache2.conf* file. That said we believe the comments in the files mentioned above would be good enough to tell you the options about which you would care.