

'Packages.gz' and 'Release' in `~/dists/natty/multiverse/binary-i386/`.

If you want to add more repositories such as 'restricted' to Synaptic installed on your machine, repeat step '3' above with the word 'restricted' replacing the word 'multiverse' everywhere in the line. You can follow the same procedure for other repos like 'main' and 'universe'. In our example, we will consider only 'multiverse' and 'restricted' repositories. Remember that the folder structure of the repository information contained in the folders on the ubuntu server should match that on your hard disk. It is not important to copy the files in directories 'debian-installer' and 'i18n' and so on because they are not used by Synaptic. Note however, that if your machine runs on a 64 bit kernel, you should download files and create folders with the name matching your architecture, i.e. -amd64, instead of -i386. We, here are in an assumption that you are using a 32 bit OS.

After having downloaded the folder structure on <http://archive.ubuntu.com/ubuntu/dists/natty/> with interested directories, launch Synaptic Package Manager and add a new software repository. Simply go to Settings → Repositories and click 'Add' button on the 'Other Software' tab. In the APT line, type:

- `deb file:///home/vaibhav natty restricted multiverse`

and hit enter (remember to replace the username from 'vaibhav' to the one you are using). The new repository should show under the list. Now, press the 'reload' button in synaptic to refresh the list of software available. The Synaptic package manager is now ready to get the packages from the new repository in your home folder. Now when you try to generate a package download script, it will include the packages from your disk-based repository. However, the problem is that you do not have any repository! All you have is a repository information! A sample generated script for downloading package files for the fglrx package (found in the restricted repository) would contain the following lines:

- `wget -c file:///home/vaibhav/pool/restricted/f/fglrx-installer/fglrx_8.840-0ubuntu4_i386.deb`
- `wget -c file:///home/vaibhav/pool/restricted/f/fglrx-installer/fglrx-amdcccle_8.840-0ubuntu4_i386.deb`

Now, if you notice at the path, the path does not exist. Do not worry. Half