

```

    /*
    * Copyright 2010 the Chromium Authors
    *
    * Use of this source code is governed by a BSD-style
    license that can be found
    * in the "LICENSE" file.
    *
    * Eric Bidelman<ericbidelman@chromium.org>
    */

```

Starting the session for the new user.

```

    session_start();
    require_once 'lib/oauth/OAuth.php';
    require_once 'lib/lightopenid/openid.php';

```

Here, “lib” contains the necessary OAuth and OpenID libraries to talk to the Chrome Web Store Licensing API and Google’s OpenID endpoint.

```

    // Full URL of the current application is running under.
    $scheme = (!isset($_SERVER['HTTPS']) || $_SERVER['HTTPS']
    != 'on') ? 'http' :
    'https';
    $selfUrl = "$scheme://{$_SERVER['HTTP_HOST']}{$_SERVER['PHP_SELF']}";
    /**
    * Wrapper class to make calls to the Chrome Web Store
    License Server.
    */
    class LicenseServerClient {
    const LICENSE_SERVER_HOST = 'https://www.googleapis.com';
    const CONSUMER_KEY = 'anonymous';
    const CONSUMER_SECRET = 'anonymous';
    const APP_ID = '1'; // Change to the correct id of your
    application.
    const TOKEN = '[REPLACE THIS WITH YOUR OAUTH TOKEN]';
    const TOKEN_SECRET = '[REPLACE THIS WITH YOUR OAUTH
    TOKEN SECRET]';
    public $consumer;
    public $token;
    public $signatureMethod;
    public function __construct() {

```