

The request has to be signed by the user before it is verified at the server.

```

• $request->sign_request($this->signatureMethod, $this-
>consumer,
•
• $this->token);
•
• return $this->send_signed_get($request);
• }
• }
•
• try {
• $openid = new LightOpenID();
• $userId = $openid->identity;
• if (!isset($_GET['openid_mode'])) {
• // This section performs the OpenID dance with the
normal redirect. Use it
• // if you want an alternative to the popup UI.

```

We can either use a popup UI, or simply even the redirection method. Here we see that the redirect method has been used. A popup UI could be a better option from the user's point of view.

```

• if (isset($_GET['login'])) {
• $openid->identity = 'https://www.google.com/accounts/
o8/id';
• $openid->required = array('namePerson/first',
'namePerson/last',
•
• 'contact/email');
• header('Location: ' . $openid->authUrl());
• }
• } else if ($_GET['openid_mode'] == 'cancel') {
• echo 'User has canceled authentication!';
• } else {
• $userId = $openid->validate() ? $openid->identity :
'';
• $_SESSION['userId'] = $userId;
• $attributes = $openid->getAttributes();
• $_SESSION['attributes'] = $attributes;
• }
• } catch (ErrorException $e) {
• echo $e->getMessage();
• exit;
• }

```