

```

•
• if (isset($_REQUEST['popup']) && !isset($_SESSION['redirect_to'])) {
•     $_SESSION['redirect_to'] = $selfUrl;
• echo '<script type = "text/javascript">window.close();</script>';
• exit;
• } else if (isset($_SESSION['redirect_to'])) {
•     $redirect = $_SESSION['redirect_to'];
• unset($_SESSION['redirect_to']);
•
•
•
• header('Location: ' . $redirect);
• } else if (isset($_REQUEST['queryLicenseServer'])) {
•     $ls = new LicenseServerClient();
• echo $ls->checkLicense($_REQUEST['user_id']);
• exit;
• } else if (isset($_GET['logout'])) {
•     unset($_SESSION['attributes']);
•     unset($_SESSION['userId']);
•     header('Location: ' . $selfUrl);
• }
• ?>

```

Here's the HTML part:

```

• <!DOCTYPE html>
• <html>
• <head>
• <meta charset="utf-8" />
• <link href="main.css" type="text/css" rel="stylesheet" />
• <script type="text/javascript" src="popuplib.js"></script>
• <script type="text/html" id="ls_tmpl">
• <div id="access-level">
• <% if (result.toLowerCase() == 'yes') { %>
•     This user has <span class="<%= accessLevel.
toLowerCase() %>"><%= accessLevel %></span> access to this
application ( appId: <%= appId %> )
• <% } else { %>
•     This user has <span class="<%= result.toLower-
Case() %>"><%= result %></span> access to this application

```