

be formatted in accordance to the namespace called RSS. You will see in the third line of the ActionScript that you reference the RSS namespace.

```

• private function parseRSS(rssXML:XML):Array
• {
•     default xml namespace = rss;
•     var items:XMLList = rssXML.item;
•     var arr:Array = new Array();
•     var len:uint = items.length();
•     for (var i:uint; i < len; i++)
•     {
•         arr.push({title:items[i].title,
•             creator:items[i].dc::creator, date:items[i].dc::date,
•             link:items[i].link, description:items[i].description});
•     }
•     return arr;
• }

```

6. The final step is to add a Public function that will use the RSS namespace and send the content to the Output panel:

```

• public function NamespaceExample()
• {
•     var myXML:XML = getRSS();
•     var rssItems:Array = parseRSS(myXML);
•     var len:uint = rssItems.length;
•     for (var i:uint; i < len; i++)
•     {
•         trace(rssItems[i].title);
•         trace(rssItems[i].creator);
•         trace(rssItems[i].date);
•         trace(rssItems[i].link);
•         trace(rssItems[i].description);
•     }
• }

```

Run your Flash movie to see the RSS feed results sent to your Output panel. Namespaces are an effective way to manage your control over XML-data. As with all core classes in Flash, you can extend the namespace to use it in conjunction with other objects and data types.

Controlling data (E4X)

There are several key ways to control data in AS3. They include arrays,