

1. Site properties which apply to any user visiting the web site (these are implemented using HTML).
2. Information that is dynamic in nature or specific to an individual user visiting the web site (these are implemented using JavaScript).

Basic Pinned sites contains properties which apply to any user and explain how to implement these using HTML.

These site properties can be implemented by web developers using meta tags that live inside the head block of your HTML. The site properties that you can implement using the meta tag are explained below:

Application name

The application name will be used as the name of the application button on the taskbar, and it is appended to the window title for any pinned site window. If an application name is not given, the HTML document's Title element is used instead.

You can set the application name like this, substituting in the appropriate content for your site:

- `<meta name="application-name" content="ThinkDigit"/>`

Once your site is pinned, right-click on its icon in the Taskbar. The first link in the bottom group of links should read "ThinkDigit" and if you click it, it should open the web site.

Set the starting page

The Start Page is set using a meta tag with `name="msapplication-starturl"`. The "msapplication-starturl" metadata contains the root URL of the application. The start URL can be fully qualified, or relative to the current document. Only HTTP and [HTTPS](#) protocols are allowed. If this element is missing, the address of the current page is used instead.

- `<meta name="msapplication-starturl" content="http://www.thinkDigit.com" />`

Tooltips

You can also pin sites to the Start Menu or Desktop. The "Desktop Tooltips" functionality won't show up when you pin a web site to the taskbar, but you will see it as a tooltip if you pin the site to the desktop.

The syntax is as follows (again, choose your own content):

- `<meta name="msapplication-tooltip" content="ThinkDigit - Your best Tech Resource Ever" />`