

```

Your best Tech Resource Ever" />
• <meta name="msapplication-window"
content="width=800;height=600" />
• <meta name="msapplication-navbutton-color"
content="orange" />
•
• </head>
• <body>
•     <!-- Deleted for space... -->
• </body>
• </html>

```

How to create Jump List tasks

Tasks

While a destination is a thing, a task is an action, and in this case it is a site-specific action. In the context of a Pinned Site, a task can be any common navigation or site functionality.

Some tasks are static, meaning that they are set when the site is pinned. Others, like notifications and user-specific tasks, are dynamic and change over time.

- ▶ **Static tasks are defined using meta tags.** These properties apply to any one using the site when it is pinned and appear in the category named Tasks. This category can contain up to five items. The items in this list tend to remain the same regardless of the state or status of the application. This topic explains how to add static tasks.
- ▶ **Dynamic tasks are defined using JavaScript APIs.** These tasks typically surface information that is specific to an individual user and appear in a Jump List category that you create. This custom category can contain up to 20 items, although only the last 10 items appear in the Jump List by default.

A pinned site can only have one static list and one dynamic list at a time.

Implementing static Jump Lists

Static Jump List Tasks are also implemented using meta tags in the head block of your HTML. You must specify a name of “msapplication-task” and a content attribute that contains a trifecta of information:

name – This is the name of the task which is displayed to the user in the Jump List.

action-uri – This URI is the destination that the user will be taken to when the Jump List task is clicked.