

```
background-color: rgba(255,0,0,0.5);
```

```
background-color: rgba(100%,0%,0%,0.5);
```

Be aware that though RGB values support hexadecimal notation, RGBA values do not.

HSL and HSLA Color

In the hue-saturation-lightness (HSL) color model, “hue” is defined as the indicated color’s angle on the color wheel (for instance, red is 0 or 360, green is 120, and blue is 240). “Saturation” and “lightness” are expressed as percentages. For instance, the following CSS declaration defines a red background.

```
background-color: hsl(0,100%,50%);
```

The HSL color model with an alpha channel, is expressed as a value between 0.0 and 1.0. For instance, the following CSS declaration defines a red background with 50% transparency.

```
background-color: hsla(0,100%,50%,0.5);
```

The opacity Property

The opacity property, enables you to control transparency at the element level. Similar to the alpha component of RGBA values, the opacity value is a number that ranges between 0.0 (completely transparent) to 1.0 (completely opaque). The opacity property is available on all elements.

The following example shows the opacity property on the color navy, with opacity values in increments of 0.2 from 0 to 1.

```
• <div class="opacity_sample">
  <div style="background: navy; opacity: 0;"></div>
  <div style="background: navy; opacity: 0.2;"></div>
  <div style="background: navy; opacity: 0.4;"></div>
  <div style="background: navy; opacity: 0.6;"></div>
  <div style="background: navy; opacity: 0.8;"></div>
  <div style="background: navy; opacity: 1;"></div>
</div>
```

This example generates the following output for a 25×125-pixel div.



CSS3 Fonts Module

Better typographic control has been a consistent feature of each new version of CSS. The CSS3