

```

•         __ pPanel[1]->SetShowState(false);
•         __ pPanel[2]->SetShowState(false);
•         __ pPanel[3]->SetShowState(false);
•         SetOrientation(ORIENTATION _ PORTRAIT);
•     }
•     break;
•
•     // Orientation panel is handled similarly, while
the orientation
•     // is set to ORIENTATION _ AUTOMATIC for the Image
panel
•
•     case ID _ FOOTER _ ITEM4:
•     {
•         __ pPanel[0]->SetShowState(false);
•         __ pPanel[1]->SetShowState(false);
•         __ pPanel[2]->SetShowState(false);
•         __ pPanel[3]->SetShowState(true);
•         PrivilegePanel *pPrivilegePanel = dynamic _
cast<PrivilegePanel*>(__ pPanel[3]);
•         pPrivilegePanel->UpdatePanel();
•         SetOrientation(ORIENTATION _ PORTRAIT);
•     }
•     break;
•
•     case ID _ ORIENTATION:
•     {
•         if(__ pPanel[1]->GetShowState())
•         {
•             OrientationStatus status = GetOrientation-
Status();
•             if(status == ORIENTATION _ STATUS _ PORTRAIT)
•             {
•                 SetOrientation(ORIENTATION _ LANDSCAPE);
•             }
•             else if(status == ORIENTATION _ STATUS _ LAND-
SCAPE)
•             {
•                 SetOrientation(ORIENTATION _ PORTRAIT);
•             }
•         }
•     }

```