

Low-Level APIs

These modules fall roughly into three categories:

- ▶ Fundamental utilities such as collection and URL. Many add-ons are likely to want to use modules from this category.
- ▶ Building blocks for higher level modules such as events, worker, and api-utils. You're more likely to use these if you're building your own modules that implement new APIs, thus extending the SDK itself.
- ▶ Privileged modules that expose powerful low-level capabilities such as window/utils and XHR.

These modules are still in active development, and we expect incompatible changes to be made to them in future releases. Note that we'll not be including already deprecated APIs in this list, for the sake of future-proofing, to some degree.

/loader

The loader module allows for creating CommonJS module loaders. The code is intentionally authored so that it can be loaded in several ways, such as under a script tag, a JavaScript of CommonJS module.

console/plain-text

SDK add-ons can log debug messages using the global console object, and the plain-text-console module implements this object.

console/traceback

The traceback module contains functionality similar to Python's traceback module, which means you're given the full stack trace in the event of code failure.

content/content

The content module re-exports three objects from three other modules: Loader, Worker and Symbiont. These objects are used in the internal implementations of SDK modules which use content scripts to interact with web content such as the panel or page-mod modules.

content/loader

The loader module provides one of the building blocks for those modules in the SDK which use content scripts to interact with web content such as the panel and page-mod modules.