




iOS bug lets users send fake headlines

This fun iOS Safari bug lets you trick your friends with fake website headlines. Do not misuse it though.
<https://dgit.in/mar19-52>



WinRAR was vulnerable for 20 years

A team of security researchers at Check Point have patched a 20 year old vulnerability in WinRAR software. <https://dgit.in/mar19-53>



Drag the Store operator into the design view and place it next to the Read Excel operator

the customer-churn-data spreadsheet which is readily available at the Rapid Miner website. While doing this, we can set the select the rows which we want, format the columns (the most important one being to set the role of our predictive column apart from the general attributes), and select the folder in which we want the file to reside in (the Data folder in our case)

- Using a process – We drag the 'Read Excel' operator from the Operators view into the design view and head over to the Parameter tab and select the Import Configuration Wizard which takes us through a dialog based data import similar to the above step. Having done this, we connect the Out port of the Read Excel operator to the Res port.

The results of this can be seen by running the process (F11). This however loads the data into the main memory of the computer and doesn't essentially save it. To do the same, we drag the Store operator into the design view and place it next to the Read Excel operator and provide the filename in which we want to store the data.

Let's call it 'Customer-data'. Upon running the process, we see that the data has been read and displayed, as well as a copy of it has been saved under the data folder. We store the process by right clicking on the Processes folder and selecting 'Store Process Here' and giving it a suitable name. We

can also import and export processes. With this much in hand, let's now get a bit more analytical with a simple hands-on activity to understand the simpler GUI ready features of the RapidMiner application.

DATA CLEANSING WITH TURBO PREP

Rapid Miner offers the Titanic data set shown below which can be found in its Samples folder which we shall use here. This raw data needs cleansing. The 'lifeboat' attribute has several missing '?' which we shall replace with 'none' for easier readability. Click the commit button and we can see the replacement occur. There are also features like Normalisation (which normalises numerical columns by bringing them to the same scale),

Discretization (turns numerical columns into categorical ones), Removing Correlated, Removing Low Quality, though none of which we would require here. Let's get rid of a few columns which have directly discrete and separate values and will not add any statistical value when looking at the features of this data set. And if you don't want to do all of this manually, there's a wizard which will do all of the above for you if you click on Auto-Cleansing. Simple enough, right? This is what we get after an auto-cleanse session. Let's take this forward. We have with ourselves a data set in which there are multiple examples with a boolean 'Survived' attribute with no missing values. We shall use this data set to train another data set (titanic-unlabelled, which is also provided by Rapid Miner Samples) which has no information of survival. In other words, we shall use our existing data set to predict the rates of survival for titanic-unlabelled.

TRAINING AND PREDICTING OUTCOMES

First, we need to merge both the tables but we see that titanic-unlabelled has one missing column 'Survived'. To do this, we click on generate, type in the name of the column as 'survived', select 'MISSING_NOMINAL' as a constant (so as to match the data type of this column with the titanic table) and click on update preview to see the

Passenger ID	Name	Sex	Age	SibSp	ParCh	Survived	Ticket Number	Cabin	Fare	Embarked
1	Mr. Brodie	Male	22	0	0	0	10151	101	5.00	S
2	Mr. Baker	Male	35	1	1	0	110391	103	16.00	S
3	Mr. Brown	Male	28	0	0	1	110413	103	16.00	S
4	Mr. White	Male	30	1	1	0	110413	103	16.00	S
5	Mr. Black	Male	35	1	1	0	110413	103	16.00	S
6	Mr. Green	Male	35	1	1	0	110413	103	16.00	S
7	Mr. Grey	Male	35	1	1	0	110413	103	16.00	S
8	Mr. Red	Male	35	1	1	0	110413	103	16.00	S
9	Mr. Blue	Male	35	1	1	0	110413	103	16.00	S
10	Mr. Yellow	Male	35	1	1	0	110413	103	16.00	S

The Titanic data set