



Apple WWDC 2021

Apple confirms that following the success of last year's event, WWDC 2021 will also be an online event. <http://dgit.in/apr21-67>



Edge update cycle

Microsoft follows in the footsteps of Google and Chrome and shifts Microsoft Edge to a 4 week update cycle. <http://dgit.in/apr21-68>

Fx - jump to previous occurrence of character x
Tx - jump to after previous occurrence of character x
; - repeat previous f, t, F or T movement
, - repeat previous f, t, F or T movement, backwards
} - jump to next paragraph (or function/block, when editing code)
{ - jump to previous paragraph (or function/block, when editing code)
zz - center cursor on screen
Ctrl + e - move screen down one line (without moving cursor)
Ctrl + y - move screen up one line (without moving cursor)
Ctrl + b - move back one full screen
Ctrl + f - move forward one full screen
Ctrl + d - move forward 1/2 a screen
Ctrl + u - move back 1/2 a screen

*Note - To repeat a certain cursor movement, you can simply prefix the a number to the command. For example, you can type **5b** to move left five times.*

INSERT MODE - INSERTING/APPENDING TEXT

This is where the actual fun begins. Here's how you can start editing text in Vim. As you'll see, Vim's strength lies in its surgical precision of using minimal commands to edit contents at a specific location within the page.

i - insert before the cursor
I - insert at the beginning of the line
a - insert (append) after the cursor
A - insert (append) at the end of the line
o - append (open) a new line below the current line
O - append (open) a new line above the current line
ea - insert (append) at the end of the word
Ctrl + h - delete the character before the cursor during insert mode
Ctrl + w - delete word before the cursor during insert mode
Ctrl + j - begin new line during insert mode
Ctrl + t - indent (move right) line one shiftwidth during insert mode
Ctrl + d - de-indent (move left) line one shiftwidth during insert mode
Ctrl + n - insert (auto-complete) next match before the cursor during insert mode
Ctrl + p - insert (auto-complete) previous match before the cursor during insert mode
Ctrl + rx - insert the contents of register x
Esc - exit insert mode

EDITING

We'd recommend that you memorise the following commands as you'll be using these the most.

r - replace a single character
J - join the line below to the current one with one space in between

gl - join the line below to the current one without space in between
gwip - reflow paragraph
g~ - switch case up to motion
gu - change to lowercase up to motion
gU - change to uppercase up to motion
cc - change (replace) entire line
C - change (replace) to the end of the line
c\$ - change (replace) to the end of the line
ciw - change (replace) entire word
cw - change (replace) to the end of the word
s - delete character and substitute text
S - delete line and substitute text (same as cc)
xp - transpose two letters (delete and paste)
u - undo
U - restore (undo) last changed line
Ctrl + r - redo
. - repeat last command

MARKING TEXT (VISUAL MODE)

If you need to edit massive chunks of text then switching to the visual mode can make things monumentally easier.

v - start visual mode, mark lines, then do a command (like y-yank)
V - start linewise visual mode
o - move to other end of marked area
Ctrl + v - start visual block mode
O - move to other corner of block
aw - mark a word
ab - a block with ()
aB - a block with {}
at - a block with <> tags
ib - inner block with ()
iB - inner block with {}
it - inner block with <> tags
Esc - exit visual mode

*Note - Instead of **b** or **B** one can also use **(** or **{** respectively.*

VISUAL COMMANDS

If the normal mode is a bit difficult, then these commands should help you make quick rudimentary edits.

> - shift text right
< - shift text left
y - yank (copy) marked text
d - delete marked text
~ - switch case
u - change marked text to lowercase
U - change marked text to uppercase

REGISTERS

Vim registers are like temporary storage spaces in memory that you can store text for a while. Think of it like the clipboard in Windows.

:reg[isters] - show registers content