



Grocery store to go cashierless

Amazon brings its cashierless tech to a full-size grocery store for the first time near Seattle.
<http://dgit.in/jul21-55>



iPhone 6S will get iOS 15

The six-year-old iPhone 6S will get iOS 15 when it arrives for the public this fall.
<http://dgit.in/jul21-56>

usually sorted lexicographically. And on the other side the numbers you see are the document numbers on which that particular term is found.

STOP WORD REMOVAL

In order to make searches more faster and also obtain relevant result it becomes important to remove the words which are given least importance during searching such as is, and, or, at, into, onto, in, on, a, the, an etc. So in the above example, the token of and for is considered as least important. We would not want these words to take up space in our database, or taking up valuable processing time. For this, we can remove them easily, by storing a list of words that you consider to stop words. This is how we are making our processed content more efficient by removing words that do not contribute to any future operations. Here is a Java Program for Inverted Index and Stop Word Removal

```
//Author - Sachin Deepak Verlekar
public class InvertedIndex {

    public HashMap<String,
    ArrayList<String>> index =
    new HashMap<>();
    public File folder;
    ArrayList<File> files =
    new ArrayList<>();
    ArrayList<String> stopwords = new ArrayList<>();

    public void getStopWords() throws Exception {
        File stopFile = new
        File("E:\\infodata\\InvertedIndexFile\\stopwords.txt");
        Scanner in = new
        Scanner(stopFile);

        while (in.hasNext())
        {
            stopwords.add(in.
            next());
        }
    }

    public void readFiles()
```

```
throws Exception {
        folder = new
        File("E:\\infodata\\InvertedIndexFile");
        System.out.
        println("[*] Contents of " +
        folder.getName());
        String[] dir = folder.
        list();
        System.out.
        println("-----
        -----
        ---");

        int counter = 0;
        for (String x : dir)
        {
            counter++;
            System.out.
            print(x + " ");

        }
        System.out.println();
        System.out.
        println("-----
        -----
        -----");
        System.out.
        println("[+] Number of contents in the directory : " +
        counter);

        PrintWriter writer1
        = new PrintWriter("E:\\infodata\\InvertedIndexFile\\index1.txt", "UTF-8");
        PrintWriter writer2
        = new PrintWriter("E:\\infodata\\InvertedIndexFile\\index2.txt", "UTF-8");
        for (File file :
        folder.listFiles()) {
            if (!file.isDirectory()) {
                files.
                add(file);
                Scanner in =
                new Scanner(file);
                while (in.
                hasNext()) {
                    String
                    word = in.next();
                    if (!index.
                    containsKey(word)) {
                        in-
                        dex.put(word, new
```

```
ArrayList<String>());
                    in-
                    dex.get(word).add(file.get-
                    Name());
                } else {
                    in-
                    dex.get(word).add(file.get-
                    Name());
                }
            }
        }
        Set<String> keys =
        index.keySet();
        for (String word :
        keys) {
            Boolean isStop-
            Word = false;
            for (String stop-
            word : stopwords) {
                if (word.
                equals(stopword)) {
                    isStop-
                    Word = true;
                    break;
                }
            }
            if (!isStopWord)
            {
                writer2.
                println(word + " : " + index.
                get(word));
            }
            writer1.
            println(word + " : " + index.
            get(word));
            //System.out.
            println(index);
            writer1.close();
            writer2.close();
        }

        public void
        getResults(String query)
        throws Exception {
            Set<String> result =
            new HashSet<>();
            String[] keywords =
            query.split(" ");
            for (int i = 0; i <
            keywords.length; i++) {
                ArrayList<String>
```