



Skin eating parasite in America

Leishmania parasites are being found in Texas and Oklahoma, can be present in other states too. <http://digit.in/jul21-59>



App Installed without consent.

Massachusetts launched a COVID tracking app and Google installed it to user's phone without consent. <http://digit.in/jul21-60>

```

        stemIndex.put(PorterStemming
Logic(word), new
ArrayList<String>());
        stemIndex.get(PorterStemming
Logic(word)).add(file.get-
Name());
    } else {
        stemIndex.get(PorterStemming
Logic(word)).add(file.get-
Name());
    }
}
Set<String> keys =
index.keySet();
Set<String> stems =
stemIndex.keySet();
for (String s : keys)
{
    writer1.println(s
+ " : " + index.get(s));
}
for (String s :
stems) {
    writer2.println(s
+ " : " + stemIndex.get(s));
}
writer1.close();
writer2.close();
}

public String
PorterStemmingLogic(String
word) {
    String newWord = "";
    int wordLength =
word.toCharArray().length;
    if (wordLength > 4 &&
word.substring(wordLength -
4).equals("sses")) {
        newWord = word.
substring(0, wordLength - 2);
    } else if (word-
Length > 3 && word.
substring(wordLength -
3).equals("ies")) {
        newWord = word.
substring(0, wordLength - 3);
    } else if
(wordLength > 3 && word.
substring(wordLength -
3).equals("ing")) {
        newWord = word.
substring(0, wordLength - 3);
    } else if
(wordLength > 3 && word.
substring(wordLength -
3).equals("ings")) {
        newWord = word.
substring(0, wordLength - 4);
    } else if (word-
Length > 2 && word.
substring(wordLength -
2).equals("ss")) {
        newWord = word;
    } else if
(wordLength > 2 && word.
substring(wordLength -
2).equals("ed")) {
        newWord = word.
substring(0, wordLength - 1);
    } else if (word-
Length > 2 && word.
substring(wordLength -
1).equals("s")) {
        newWord = word.
substring(0, wordLength - 1);
    } else {
        newWord = word;
    }
    return newWord;
}

public void
retrieveDocuments(String
query) {
    System.out.
println(stemIndex);
    String[] keywords =
query.split(" ");
    for (int i = 0; i <
keywords.length; i++) {
        System.out.
print(keywords[i] + "->");
        keywords[i] = Po
rterStemmingLogic(keywords
[i]);
        System.out.
println(keywords[i]);
    }
    Set<String> result =
new HashSet<>();
    for (int i = 0; i <
keywords.length; i++) {
        ArrayList<String>

```

```

docList = stemIndex.
get(keywords[i]);
        for (String s :
docList) {
            result.
add(s);
        }
        System.out.
println(result);
    }
}

```

How does this code work?

This code will let user type single or multi word queries. It will check whether that particular word from the given query exist in the index or not. If it exist it will retrieve the name of the respective documents. It will also perform porter stemming of the same. It will create 2 index files index1.txt and index2.txt. index1.txt will have mapping of all the extracted words from the document collection and the document names in which they exist. Index2.txt will also have mappings of all the extracted words from the document collection and the document names in which they exist. But the words will be stemmed according to Porter Stemming convention. Instead of coding all these programs manually what if we had a special tool which will automate all these Information Retrieval techniques such as Indexing, Stemming, Stop word removal, Ranking the document to find the most relevant document? You could also use Apache Lucene or Lemur but we use Terrier in this example. It can also be integrated in your Java Project as a maven repository if you are planning to create a Java based project or web application which will involve searching. Everything is command based and the above is a step by step approach of how to use this tool. 

THE DIGIT COMMUNITY IS FILLED WITH BRIGHT IDEAS and we find the best among the best every month to bring them to you in this section.