TIPS & TRICKS

Create custom commands to play RAW files

A RAW file is a sound file with no header, so here's how you can play it with a header:

```
play -c 1 -s -r 8000 -t raw -2 <file_name>
```

If you don't have the *Play* command, please install *sox* using the command given below:

```
# apt-get install sox
```

Or use your distro package manager to install it.

Now create a command alias as follows:

Step 1: Open *.bashrc* file located in your home directory:

```
$ vi /home//.bashrc
```

Add this line at the end of the file and save it:

```
alias playraw="play -c 1 -s -r 8000 -t raw -2"
```

Step 2: Reload the *.bashrc* file:

```
$ source /home//.bashrc
```

Step 3: Use alias

```
$ playraw
```

—Ishtiyaq Husian,
ishtiyaq.husain@gmail.com

Convert all files in MP3 format in two simple steps

This command is used to convert your flv, wma, MP4 and other files into MP3 files. I tried this script on Ubuntu 10.10 and expect that it should work on most of the popular Linux distros.

You need to install *libavcodec-extra-52* and *ffmpeg* if they are not already installed.

Now open your terminal and go to the folder with the music files in different formats.

Run the following command to rename all files in the folder.

```
$ for n in *; do mv “$n” `echo $n | tr ‘ ’ ‘_’`; done
```

This will replace blank spaces from the file name with '_'. For example, 'file name' will be renamed as 'file_name'.

```
$ for filename in *.*; do ffmpeg -i $filename $filename.mp3; done;
```

The above command will create MP3 copies of all audio files.

—Nikhil Ikhar,
siover2001@gmail.com

SSH access on a different port

To change the default SSH port, you need to edit the SSH configuration file */etc/ssh/sshd_config*

Open the configuration file in any text editor and search for the line as follows:

```
#port 22
```

Uncomment and replace 22 with the port number you'd like to run SSH on. In my case I am using Port No 2087.

Now, restart *sshd* by issuing the following command:

```
/etc/rc.d/init.d/sshd restart
```

To test the changes, you need to first check if the given port number is open or not. The following command will let you know if the new port is using this command:

```
netstat -ltn | grep 2087
```

In the output of the above command, the state should be LISTEN for Port No 2087.

Finally, test *ssh* on the new port as follows:

```
ssh USERNAME@localhost -p 2087
```

—vijith,
vijith.pa@gmail.com