```
return this.value;
}

@Override
public int hashCode() {
final int prime = 31;
int result = 1;
result = prime * result + ((value == null) ? 0 : value.
hashCode());
return result;
}

@Override
public boolean equals(Object obj) {
if (this == obj)
     return true;
if (obj == null)
     return false;
if (getClass() != obj.getClass())
     return false;
Name other = (Name) obj;
if (value == null) {
if (other.value != null)
     return false;
} else if (!value.equals(other.value))
     return false;
return true;
}
}
```

Like in the case of *Name*, the *PhoneNumber* is also equipped with constructor, getters, *hashCode()* and *equals()* methods, as it is also a value object. Here as well, the constructor may validate the input value.

```
public class PhoneNumber {
private long value;

public PhoneNumber(long value) {
     //TODO: validation
     this.value = value;
}

public long getValue() {
     return this.value;
}

@Override
public int hashCode() {
final int prime = 31;
int result = 1;
result = prime * result + (int) (value ^ (value >>> 32));
return result;
}

@Override
public boolean equals(Object obj) {
if (this == obj)
     return true;
if (obj == null)
     return false;
if (getClass() != obj.getClass())
     return false;
PhoneNumber other = (PhoneNumber) obj;
if (value != other.value)
     return false;
return true;
}
}
```

The *User* is an entity! Hence, apart from getters, the setters are also considered. However, as the identity is supposed to be immutable, there is no setter for the *Name* property.

```
package com.glarimy.ums.domain;

public class User {
private Name name;
private PhoneNumber phone;
private Date since;

public User(Name name, PhoneNumber phone) {
this.name = name;
this.phone = phone;
this.since = new Date();
}

public User(Name name, PhoneNumber phone, Date since) {
this.name = name;
this.phone = phone;
this.since = since;
}

public Name getName() {
     return name;
}

public PhoneNumber getPhone() {
     return phone;
}

public void setPhone(PhoneNumber phone) {
     this.phone = phone;
```