Here, ID is a particular field.

Now let's assume that you want to display a particular type, say, *ID= 39*. Make amendments to the above program and replace the following line…

```
cursor = mo.find({},{"ID":True, "_id":False}) with cursor =
record1.find({"ID":39},{"ID":True, "_id":False})
```

…and run the program again. The output will be like what is shown in Figure 3.

Remove records using Python

You can remove a particular record using the *pymongo* module. I am going to give the minimum required code *del1.py* to delete the record.

```
import pymongo
connection = pymongo.MongoClient("mongodb://localhost")
db=connection.book
record1 = db.bookcollection

result = record1.remove({'ID':55})
print "num removed: ", result
```

Run the above program *del1.py* and the output will be as shown in Figure 4.

```
root@localhost:/mongodb# python del1.py
num removed:  {u'ok': 1, u'n': 2}
```

Figure 4: Output shows document(record) is removed

Update records using Python

Python can be used to update records as well as add new fields in a particular record.

In the first update program, let's update an old value. Let us discuss our next program named *update1.py*.

```
import pymongoconnection = pymongo.MongoClient("mongodb://
localhost")db=connection.bookrecord1 = db.bookcollection
result = record1.update({'ID':45},{'$set':{'ID':100}})
print result
```

Run the above program *update1.py* and the output will be as shown in Figure 5.

Code line *record1.update({'ID':45},{'$set':{'ID':100}})* is responsible for updating the record *ID=45* to *ID= 100*. You can check with the help of *find programs*.

```
root@localhost:/mongodb# python  update1.py
{'updatedExisting': True, u'nModified': 1, u'ok': 1, u'n': 1}
root@localhost:/mongodb#
```

Figure 5: Output of the program that updates an old field

```
root@localhost:/mongodb#
root@localhost:/mongodb# python update2.py
{u'website': u'l4wisdom.com', u'record': u'understanding & worshiping sri chakra
 (paperback)', u'_id': ObjectId('5540b7c0421aa93a11a79666'), u'ID': 100}
root@localhost:/mongodb#
```

Figure 6: Output of the program that adds a new field

Consider a situation in which you have to add one more field. Now, I am going to present the next code named *update2.py*.

```
import pymongo
import datetime
connection = pymongo.MongoClient("mongodb://localhost")
db=connection.book
record1 = db.bookcollection

result = record1.update({'ID':100},{'$set':{'website':"l4wis
dom.com"}})

print record1.find_one({'ID':100})
```

The above code adds one more field with the value *website':"l4wisdom.com* in the record, whose ID =100.

Run the program *update2.py*. The output will be as shown in Figure 6. END

By: Mohit and Bhaskar Narayan Das

Mohit is a CEH and ECSA with a master's degree in computer science engineering from Thapar University. He currently works at IBM India, and can be contacted at *mohitraj.cs@gmail.com* and on LinkedIn at: *https://www.linkedin.com/profile/view?id=104187708*

Bhaskar Narayan Das has seven years of IT experience in Java related technology. He currently works at IBM India and can be contacted at *bhaskarndas@gmail.com*