```
> l <- list("R", 28, "GPLv2")
> l
[[1]]
[1] "R"

[[2]]
[1] 28

[[3]]
[1] "GPLv2"

> l[1]
[[1]]
[1] "R"
```

You can specify attribute names to the values when creating a list, as indicated below:

```
> l <- list(name="R", age=28, license="GPLv2")
> l
$name
[1] "R"

$age
[1] 28

$license
[1] "GPLv2"
```

The individual values from the list can be obtained with their respective attribute names, as follows:

```
> l$name
[1] "R"

> l$age
[1] 28

> l$license
[1] "GPLv2"
```

You can also concatenate lists together, as shown below:

```
> n <- list(list(name="Clojure", age=14, license="Eclipse
Public License"), l)
> n
[[1]]
[[1]]$name
[1] "Clojure"

[[1]]$age
[1] 14

[[1]]$license
[1] "Eclipse Public License"

[[2]]
[[2]]$name
[1] "R"

[[2]]$age
[1] 28

[[2]]$license
[1] "GPLv2"
```

The *typeof()* function returns the list type as a *"list"*:

```
> typeof(l)
[1] "list"

> typeof(n)
[1] "list"
```

You can retrieve the individual list entries using the indices, as illustrated below:

```
> n[1]
[[1]]
[[1]]$name
[1] "Clojure"

[[1]]$age
[1] 14

[[1]]$license
[1] "Eclipse Public License"
```

The second entry in the list 'n' with index '2' is given below:

```
> n[2]
[[1]]
[[1]]$name
[1] "R"

[[1]]$age
[1] 28

[[1]]$license
[1] "GPLv2"
```

In a list of lists, you can obtain the value by enclosing the name attribute within double square parentheses. For example: