```
errors
is.things                Explore some properties of R objects
and
                         is.FOO() functions. Not for newbies!
recursion                Using recursion for adaptive
integration
scoping                  An illustration of lexical scoping.

Demos in package 'graphics':

Hershey                  Tables of the characters in the
Hershey vector
                         fonts
Japanese                 Tables of the Japanese characters in
the
                         Hershey vector fonts
graphics                 A show of some of R's graphics
capabilities
image                    The image-like graphics builtins of R
persp                    Extended persp() examples
plotmath                 Examples of the use of mathematics
annotation

Demos in package 'grDevices':

colors                   A show of R's predefined colors()
hclColors                Exploration of hcl() space
```

...

The following is an example of a rotated *sinc* function:

```
> demo(persp)

     demo(persp)
     ---- ~~~~~

Type  <Return>  to start :

> ### Demos for  persp()  plots   -- things not in
example(persp)
> ### -------------------------
>
> require(datasets)

> require(grDevices); require(graphics)

> ## (1) The Obligatory Mathematical surface.
> ##      Rotated sinc function.
```

It produces the graphical output shown in Figure 1.

If you would like to see example code from R's online documentation, you can use the 'example' function. For instance, different shades of blue can be seen from the colours example illustrated below:



Figure 1: *Sinc* function

```
> example(colors)

colors> cl <- colors()

colors> length(cl); cl[1:20]
[1] 657
 [1] "white"          "aliceblue"      "antiquewhite"
"antiquewhite1"
 [5] "antiquewhite2" "antiquewhite3" "antiquewhite4"
"aquamarine"
 [9] "aquamarine1"    "aquamarine2"    "aquamarine3"
"aquamarine4"
[13] "azure"          "azure1"         "azure2"         "azure3"
[17] "azure4"         "beige"          "bisque"
"bisque1"

colors> length(cl. <- colors(TRUE))
[1] 502

colors> ## only 502 of the 657 named ones
colors>
colors> ## ----------- Show all named colors and more:
colors> demo("colors")

     demo(colors)
     ---- ~~~~~~

Type  <Return>  to start :
...
>  plotCol(nearRcolor("deepskyblue", dist=50))
Hit <Return> to see next plot:
```