

Figure 1: grokit help message

Independence: First, all the tools necessary for grokit to work are bundled together and are available for download. So, you do not have to worry about having the correct versions of these tools. Second, these tools do not alter the existing set-up on your machine. However, there is a small dependency on the glibc version, which I will discuss later.

Options in grokit

Running *grokit -h* gives the output shown in Figure 1.

--action: This option tells grokit what to do.

--action=setup will set up the Opengrok cross-reference for a new project.

--action=start or *–action=stop* will start/stop the Tomcat server.

Opengrok runs on an Apache Tomcat server on the port 8080, by default. The cross-referenced source code is accessed from a browser by sending HTTP requests to this server. The server renders the source code as an HTML page with hyperlinks for all the cross-references. Have a look at *http://androidxref.com* to get a feel of how Opengrok does the cross-referencing.

--ppath: This option gives access to the top level directory of the source code on your disk that you want to cross-reference. Obviously, this option makes sense only with *–action=setup.*

When you provide a top level directory for cross-referencing to Opengrok, all the directories under the top level directory are considered as 'projects'.

Figures 2 and 3, and Figures 4 and 5 give two separate examples with the source code of the p7z project to explain this *(refer http://sourceforge.net/projects/p7zip/?source=typ_redirect).* Here, the grokit bundle and the p7z source bundle are copied in the same directory and extracted (so the p7z and grokit directories are under the same parent directory).

Note that the folders under the path given in the *–ppath* option appear as 'projects' in the Opengrok main page.

A peek inside

Pre-built binaries for grokit are bundled and available for download at *http://grokit.pythonanywhere.com.* Figure 6 gives a snapshot of the files available when extracted.

A *README.txt* file contains the basic usage information. The *tools* directory contains *apache-tomcat, exuberant-ctags, jre7* and *opengrok* as compressed files.

When grokit is run for the first time with *–action=setup*, a *grokit_files* directory gets created, inside which all the compressed tools are extracted. Figure 7 shows the directories created.

Figure 2: grokit setup for p7z source with a single project (src)

Figure 3: Opengrok page for p7z project with a single project

Figure 4: grokit setup for p7z source with multiple projects

Figure 5: Opengrok page for p7z project with multiple projects