```
#case, it is GMAIL
smtp_sasl_password_maps = hash:/etc/postfix/sasl/passwd
#Location of Hash Password File [as its more Secure]
```

Now follow the steps given below:

```
[root@pilotvm01 ~]#cd /etc/postfix/
```

Verify if the directory named *sasl* exists:

```
[root@pilotvm01 postfix]#ll
total 140
-rw-r--r--. 1 root     root    19579  Mar  9  2011   access
-rw-r--r--. 1 root     root    11681  Mar  9  2011   canonical
-rw-r--r--. 1 root     root    9904   Mar  9  2011   generic
-rw-r--r--. 1 root root     18287   Mar   9  2011 header_checks
-rw-r--r--  1 root     root    27256  May 18  10:51  main.cf
-rw-r--r--. 1 root     root    5113   Mar  9  2011   master.cf
-rw-r--r--. 1 root     root    6816   Mar  9  2011   relocated
-rw-r--r--. 1 root     root    12500  Mar  9  2011   transport
-rw-r--r--. 1 root     root    12494  Mar  9  2011   virtual
```

As observed, no directory named *sasl* exists.

Proceed further by creating a directory named *sasl* and re-verify:

```
[root@pilotvm01 postfix]#mkdir sasl
[root@pilotvm01 postfix]#ll
total 144
-rw-r--r--.    1 root  root   19579  Mar  9  2011  access
-rw-r--r--.    1 root  root   11681  Mar  9  2011  canonical
-rw-r--r--.    1 root  root   9904   Mar  9  2011  generic
-rw-r--r--.    1 root  root   18287  Mar  9  2011 header_
checks
-rw-r--r--     1 root  root   27256  May 18  10:51   main.cf
-rw-r--r--.    1 root  root   5113   Mar  9  2011   master.cf
-rw-r--r--.    1 root  root   6816   Mar  9  2011   relocated
drwxr-xr-x     2 root  root   4096   May 18  11:03   sasl
-rw-r--r--.    1 root  root   12500  Mar  9  2011   transport
-rw-r--r--.    1 root  root   12494  Mar  9  2011   virtual
```

Browse to directory *sasl*, create a 0 byte file named *passwd*, open it with the Vi editor and add the following lines:

```
[root@pilotvm01 postfix]#cd sasl/
[root@pilotvm01 sasl]#touch passwd
[root@pilotvm01 sasl]#cat passwd
[root@pilotvm01 sasl]# vi passwd
[root@pilotvm01 sasl]#

[root@pilotvm01 sasl]#cat passwd
smtp.gmail.com:587 arindam0310018@gmail.com:GMAIL PASSWORD
[root@pilotvm01 sasl]#
```

Note: 1. You need to provide an existing Gmail user name and password.

2. The user name should be of the format '*arindam0310018@gmail.com*'.

3. For the purpose of this article, I have used *arindam0310018@gmail.com* as the Gmail user ID.

Now change the permissions so that only the owner [in our case, root] can read and write the *passwd* file:

```
[root@pilotvm01 sasl]#chmod 600 passwd
[root@pilotvm01 sasl]#ll
total 4
-rw------- 1 root root 52 May 18 11:08 passwd
[root@pilotvm01 sasl]#

HASH the passwd file so that it is more secure.

[root@pilotvm01 sasl]#postmap passwd
```

As observed, after HASHING, *passwd* and *passwd.db* both reside in the same location.

```
[root@pilotvm01 sasl]#ll
total 12
-rw------- 1 root root    52  May 18  11:08   passwd
-rw------- 1 root root    12288   May 18  11:10   passwd.db
[root@pilotvm01 sasl]#
```

Now generate the TRUSTED SERVER CERTIFICATE for verification.

```
[root@pilotvm01 sasl]#cd /etc/pki/tls/certs/
[root@pilotvm01 certs]#ll
total 1220
-rw-r--r--.    1 root  root   578465 Apr  7  2010   ca-bundle.
crt
-rw-r--r--.    1 root  root   658225 Apr  7  2010   ca-bundle.
trust.crt
-rwxr-xr-x.    1 root  root      610    Feb 10  2011   make-
dummy-cert
-rw-r--r--.    1 root  root   2242    Feb 10  2011   Makefile
[root@pilotvm01 certs]#

[root@pilotvm01 certs]#make pilotvm01.pem
umask 77 ; \
        PEM1=`/bin/mktemp /tmp/openssl.XXXXXX` ; \
        PEM2=`/bin/mktemp /tmp/openssl.XXXXXX` ; \
        /usr/bin/openssl req -utf8 -newkey rsa:2048 -keyout
$PEM1 -nodes -x509 -days 365 -out $PEM2 -set_serial 0 ; \
        cat $PEM1 >  pilotvm01.pem ; \
        echo ""    >> pilotvm01.pem ; \
        cat $PEM2 >> pilotvm01.pem ; \
```