Delete files of the same *filetypes* in a folder and its sub-folders

Under Linux, you can delete files of a specific file type located in a folder and its sub-folders using the simple combination of the *find* and *rm* commands.

For example, if file types like *.inf* need to be deleted from all folders, we can execute the following command:

```
#find /path/to/the/folder/ -type f -iname "*.inf" -exec rm
-vf {} \;
```

Or, if we want to remove files one by one, then we can use:

```
#find /path/to/the/folder/ -type f -iname "*.inf" -exec rm
-iv {} \;
```

Note: Care should be taken while executing the above commands as wrong usage can lead to loss of data.

—Raghava Karthik Reddy,
rkartihk@gmail.com

Convert a DOS file to the UNIX format

If you want to convert a DOS file to the UNIX file format, you can use the following command:

```
dos2unix
```

But since this command is not available in GNU/Linux by default, you have to install this package explicitly. By using the *tr* command, you can do this conversion.

Remember that in the DOS file format, each line ends with the '\r\n' combination and in the UNIX file format, each line ends with only '\n'. To convert a file to the UNIX file format, delete the '\r' character. Here is how we do it.

First of all, check the file type by running the following command:

```
[bash]$ file dos_file.txt
```

The output will be as follows:

```
dos_file.txt: ASCII text, with CRLF, LF line terminators
```

Now use the 'tr' command to remove the '\r' character, as shown below:

```
[bash]$ tr -d '\r' < dos_file.txt > unix_file.txt
```

Check the new file format:

```
[bash]$ file unix_file.txt
```

As expected, the output will be as shown below:

```
unix_file.txt: ASCII text
```

—Narendra Kangralkar,
narendrakangralkar@gmail.com

Get a list of the devices connected via the USB port

Many a time, we want to know details about the device connected to our system via the USB port. Here is a command that will list all the devices connected via the USB port:

```
#lsusb
```

To get more information about each of the devices, you can run the following command:

```
#usb-devices
```

– Mohammad Jamal Mohiuddin,
md.jamalmohiuddin@gmail.com

Unmount a file system even with a 'Device is busy' error

Sometimes, when unmounting a mounted file system, one gets the 'Device busy' error and the file system does not get unmounted. Here are the steps to unmount the file system in such conditions. Type the following command in the terminal:

```
#fuser -k /device
```

Here, you need to type your mount point name instead of */device*

In my case this was *sdc1*

```
#fuser -k /mnt/sdc1
```

The output of the above command will give a PID number of the process that is stopping you from unmounting the file system, like 5133.

Kill that process as shown below and try to *unmount* again.

```
#kill -9 5133
```

– Amar Gehlot,
amar281494@gmail.com

END