2. Download the latest Ruby source file using the following link: *https://www.ruby-lang.org/en/downloads/*
3. Extract the source file using the commands given below:

```
gunzip <sourcefile.tar.gz>
tar -xvf <sourcefile.tar>
```

To configure and install Ruby 2, type:

```
cd <sourcefile>
./configure
Make
make install
```

4. Now that the latest version of Ruby has been installed successfully in our server, we can verify the installed Ruby version by executing the command given below:

```
ruby -v
```

After Ruby is installed on the master and slave, let's configure Puppet on the master. The newest version of Puppet can be installed from the *yum.puppetlabs.com* package repository. To enable the repository, run any one of the following commands that correspond to your OS version.

For, Enterprise Linux 7, type:

```
$ rpm -ivh https://yum.puppetlabs.com/puppetlabs-release-el-7.noarch.rpm
```

For Enterprise Linux 6, type:

```
$ rpm -ivh https://yum.puppetlabs.com/puppetlabs-release-el-6.noarch.rpm
```

For Enterprise Linux 5, type:

```
$ rpm -ivh https://yum.puppetlabs.com/puppetlabs-release-el-5.noarch.rpm
```

Now run the command below which will install the Puppet master:

```
yum install puppet-server
```

Don't start the Puppet master service now. For now, delete any existing SSL certificates that were created during the package installation using the following command:

```
rm -rf /var/lib/puppet/ssl
```

Edit the master's *puppet.conf* file with the following content:

Figure 1: Installed Ruby version

```
[main]
logdir=/var/log/puppet
vardir=/var/lib/puppet
ssldir=/var/lib/puppet/ssl
rundir=/var/run/puppet
factpath=$vardir/lib/facter

[master]
```

These are needed when the Puppetmaster is run by passenger and can safely be removed if WEBrick is used.

```
ssl_client_header = SSL_CLIENT_S_DN
ssl_client_verify_header = SSL_CLIENT_VERIFY
```

Now include the DNS name at which agent nodes can contact the master. Update the master's *puppet.conf* [main] section with the following two lines:

```
Surname = puppet
dns_alt_names = puppet,<Puppet Master's Hostname or FQDN>
```

Create the CA certificate by running the following command:

```
puppet master --verbose --no-daemonize
```

Verify the certificate information that was just created with the following command:

```
puppet cert list -all
```