```
#! /bin/sh
# greeting with reading name

echo "Hi $USER"
echo "Please enter your real name"
read a;
echo "Thank you for entering your name"
echo "Have a nice day $a !!!!"

exit 0
```

The *read* takes the input and saves it in the variable *a*. And the *echo* command prints the name by substituting it in the *$a*. *Exit* just exits from the program.

In *bash*, you can use syntax that is similar to C (programming language). Here is a script which prints all the files that are executable in the given directory.

**Note:** It also returns the directories (folders) because the folders also have the executable permission.

```
#!/bin/bash
# find all executables
count=0
# Test arguments
if [ $# -ne 1 ] ; then
  echo "Usage is $0 <dir>"
  exit 1
fi
# Ensure argument is a directory
if [ ! -d  "$1" ] ; then
  echo "$1 is not a directory."
  exit 1
fi
# Iterate the directory, emit executable files
for filename in "$1"/*
do
  if [ -x "$filename" ] ; then
    echo $filename
    count=$((count+1))
  fi
done
echo
echo "$count executable files found."
exit 0
```

In this script, the thing that is newly added is the *if* statement. As you can see, the syntax is a bit different and you should also use *then* after the *if*. Besides, the brackets used for *if* are a bit different.

## How to install *zsh*

Installing *zsh* is very easy. It can be done from your package manager based on your distribution, using the following command, which you can also use to update the *zsh* if you had already installed it.




Figure 3: zsh-newuser-tall

For Ubuntu- or Debian-based distros, type:

```
sudo apt-get install zsh
```

For Red Hat-based distros, type:

```
sudo yum install zsh
```

For SUSE-based distros, type:

```
sudo zypper install zsh
```

For Arch Linux or Manjaro, type:

```
sudo pacman -S zsh
```

You can try using the *zsh* shell by just typing *zsh* in a terminal. If you are using *zsh* for the first time, you will get four options with a heading *zsh-newuser-install.*

Now type '0' and it goes to a basic *zsh* which looks like it lacks features in comparison to *bash*. But don't uninstall *zsh* and shift back to the old *bash* as there is more to be installed. You can modify *zsh* to fit your needs by modifying the *.zshrc* file, using the following command:

```
vi ~/.zshrc
```

**Note:** You can use whichever editor you want instead of Vim to edit the *.zshrc* file, though I prefer Vim. We can skip this and use a readymade *zsh* configuration such as *oh-my-zsh.*

## Installing *oh-my-zsh*

*oh-my-zsh* is an open source, community-driven framework for managing your *zsh* configuration. It comes with lots of helpful functions, helpers, plugins, themes, and a few things that make *zsh* more user friendly. You can find more about it from its website *http://ohmyz.sh/* and you can