Next, run the following command:

```
curl -fsSL https://download.opensuse.
org/repositories/security:zeek/
xUbuntu_20.04/Release.key | gpg
--dearmor | sudo tee /etc/apt/trusted.
gpg.d/security_zeek.gpg > /dev/null
```

The output looks like what is shown in Figure 1.

Step 2: Next, we need to update the system repositories, as follows:

```
sudo apt update
```

Step 3: Now install Zeek from *apt:*

```
sudo apt install zeek
```

During the installation, you will be asked to select some Postfix settings. Select the website and leave the remaining settings as default.

Step 4: Add Zeek binary path to *PATH:*

```
echo "export PATH=$PATH:/opt/zeek/bin"
>> ~/.bashrc
source ~/.bashrc
```

Step 5: Now we need to configure Zeek using the *.cfg* file. We must mention the local network that we are going to monitor in *opt/zeek/etc/networks.cfg.*

The output of the file should look something like Figure 3.

Step 6: We can run Zeek either in standalone mode or in a cluster setup. To define whether to run in a cluster or standalone setup, you need to edit the */opt/zeek/etc/node.cfg* configuration file.

For a standalone configuration, there must be only one Zeek node defined in this file. For a cluster configuration, there must be a manager node, a proxy node, and one or more worker nodes.

As we are using standalone mode now, just leave everything to default and change the interface name in *[zeek]* to the interface of your network. The output should look similar to Figure 4.



Figure 2: Networks configuration file



Figure 3: Node configuration file

Figure 4: Deploying Zeek

Step 7: Now we need to validate the configurations. For that, execute the following command:

```
cd opt/zeek/bin
sudo ./zeekctl check
```

If the settings are configured properly, you can see the output as:

```
zeek scripts are ok.
```

Step 8: Once we are ready with the configuration file, we need to deploy