That's it! The model file will be saved and will detect if a given piece of text is PII or not. To detect the type of PII, we can build another model in the same way using the code given below.

```
cols=[“noofcharkey”,”key_has_@”,”deimalornot_key”,”key_
has_/”,”space_in_key”,”noofchar_value”,”space_in_value”]
X = df[cols] # Features
y = df[“final”] # Target variable

from sklearn.model_selection import train_test_split
X_train, X_test, y_train, y_test = train_test_split(X,y,
test_size = 0.20, random_state = 99)
from sklearn.ensemble import RandomForestClassifier
cont = RandomForestClassifier()
cont.fit(X_train, y_train)
cont.score(X_test,y_test)
from sklearn2pmml import PMMLPipeline
from sklearn.metrics import mean_absolute_error
pipeline = PMMLPipeline([
   (“abc”, cont)
])
pipeline.fit(X_train, y_train)
y_pred = pipeline.predict(X_test)
pipeline.score(X_test,y_test)
from sklearn2pmml import sklearn2pmml
sklearn2pmml(pipeline, “type_of_pii.pmml”, with_repr = True)
```

You have now learnt how to build an ML model to identify PII!! You can try this out with other algorithms and datasets too, and explore further in this field! END

**By: Jishnu Saurav Mittapalli**

The author is a full-stack web developer, interested in modern technologies like artificial intelligence and machine learning. He is currently working in the field of natural language processing.