

Figure 9: Set the directory



Figure 10: Adding *grinder1.py* to run the test



Process	Type	State
fujitsu-PC	Agent	Connected
fujitsu-PC-2	Worker	Running (10/10 threads)
fujitsu-PC-3	Worker	Running (10/10 threads)
	2 worker processes	20/20 threads

Figure 11: The running process



Test	Description	Successful Tests	Errors	Mean Time	Mean Time Standard Deviation	TPS	Peak TPS	Mean Response Length	Response Bytes Per Second	Response Errors	Mean time to resolve host	Mean time to establish connection	Mean time t first byte
Test 100	Page 1	60	0	82.9	49.4	0.164	20.0	0.00	0.00	0			0.00
Test 101	GET login.h...	60	0	79.6	48.9	0.164	20.0	3970	653	0	5.03	5.88	75.8
Test 200	Page 2	60	0	312	297	0.164	20.0	0.00	0.00	0			0.00
Test 201	POST j_spri...	60	0	260	298	0.164	20.0	0.00	0.00	0			258
Test 202	GET drmHo...	60	0	11.1	15.2	0.164	20.0	358	58.8	0	0.0167	0.633	10.5
Test 300	Page 3	60	0	220	25.3	0.164	12.0	0.00	0.00	0			0.00
Test 301	GET listMac...	60	0	6.92	11.1	0.164	14.0	728	120	0			5.95
Test 302	GET jquery-...	60	0	12.6	7.51	0.164	12.0	949	156	60			11.2
Test 400	Page 4	60	0	60.3	11.9	0.164	12.0	0.00	0.00	0			0.00
Test 401	GET j_sprin...	60	0	3.52	2.13	0.164	13.0	0.00	0.00	0			2.75
Test 402	GET logoff...	60	0	4.72	6.45	0.164	12.0	0.00	0.00	0			3.62
Test 403	GET login.h...	60	0	10.3	6.96	0.164	12.0	3920	645	0			9.23
Total		482	0	49.4	136	1.32	40.0	1240	1630	60	2.53	3.26	47.0

Figure 12: Result in table form

```
grinder.script = grinder1.py

# The number of worker processes each
agent should start. The default
# is 1.
grinder.processes = 6

# The number of worker threads each
worker process should start. The
# default is 1.
grinder.threads = 20

# The number of runs each worker
process will perform. When using the
# console this is usually set to 0,
meaning "run until the console
# sneds a stop or reset signal". The
default is 1.
grinder.runs = 1
```

The number of virtual users is: Number of worker threads x number of worker processes x number test machines.

So, in our case total number of virtual users is 6x20x1 = 120.

To run a test, let's start a console, open *cmd* and enter the following command:

```
C:\Testing\grinder-3.11-binary\
grinder-3.11> java net.grinder.Console
```

The console window opened is shown in Figure 6.

Now, start an agent, open another terminal and enter the following command:

```
C:\Testing\grinder-3.11-binary\
grinder-3.11> java net.grinder.Grinder
```

Sometimes, this command gives the error shown in Figure 7 if you have set the *classpath* temporarily.

To solve the error, you need to set the *classpath* again in the new terminal window (as given in step 5 under 'Installation').

The output of the above command is given in Figure 8.

Now, distribute the file to the agent, and set the root directory for script distribution. Go to The Grinder console, select *Distribute*, then set the directory to *C:\Testing\grinder-3.11-binary\grinder-3.11\examples*

Click on the *script* tab and make sure *grinder1.py* and *grinder.properties* are selected or starred. If not, then right-click on *grinder.properties* and choose *Select properties*.

Run the test. Click on *The Grinder Console*, and then go to the *Action* tab and click *Start process*.

Check the process and view results. Go to The Grinder console, click on the *Process* tab to see currently running processes.

Go to the result and the *Graph* tab of The Grinder to see the result of testing.

Continued on Page 57...