

The Top Ten Commands for Linux Systems and Network Admins

What makes Linux superior to other operating systems is a rich set of commands that make it highly configurable via the CLI. Linux is heavily loaded with commands and one can manage the entire operating system from the terminal alone. That's why it is so popular with systems administrators. In this article we will give a brief on the top ten commands for Linux systems and network administrators.



f the four sections in this article, the first one discusses networking commands, the second covers process management commands, the third section looks at Docker commands and the final one discusses miscellaneous commands.

Networking commands

1. *curl*

This is a tool to transfer data from or to a server. It supports many protocols, like FTP, SCP, HTTP, HTTPS and the list goes on. A popular use of this command is to execute a HTTP request.

Let us execute the HTTP GET request using the *curl* command as follows:

```
$ curl https://reqres.in/api/users/2
```

When you execute the above command, it generates the following output:

```
{
  "data": {
```

```
    "avatar": "https://s3.amazonaws.com/uifaces/faces/
twitter/josephstein/128.jpg",
    "email": "janet.weaver@reqres.in",
    "first_name": "Janet",
    "id": 2,
    "last_name": "Weaver"
  }
}
```

We can also execute other HTTP requests with the *curl* command. Let us execute the *POST* request. We will use the following JSON body as a payload:

```
{
  "first_name": "John",
  "last_name": "Doe",
  "email": "johndoe@reqres.in"
}
```

Let us create a *POST* request with the above payload:

```
$ curl -X POST https://reqres.in/api/users/2 -H 'Content-
Type: application/json' -d '{"first_name": "John", "last_
```