

molecular levels. This makes them capable of only analysing simple molecules in practical applications related to biology and chemistry.


This is where scientists and researchers needed to find a better way of computing when the probability is involved (such as spinning a coin instead of flipping it). Also, for problems above a certain complexity, more computational power is required, which is only possible with quantum computers.

Dr Martin Laforest, senior product manager and quantum technology expert, Isara, explains, “Quantum computers leverage the surprising and often counterintuitive behaviour of atoms and molecules, making them radically different from today’s computer. They derive their power by utilising quantum mechanics and marvels such as superposition and entanglement. Their quantum behaviour makes them much more powerful, allowing them to perform a variety of computational tasks exponentially faster than classical computers.”

Behind the magic: Working of a quantum computer

Quantum computers use quantum bits (qubits) instead of the regular bits. By combining qubits, a lot more data can be processed in less time as compared to basic computers. Underlying quantum computing is the principle of quantum mechanics. Fundamental quantum properties like superposition, entanglement, and interference are used to manipulate the state of a qubit.

Superposition refers to the overlapping of usually independent states. Real-life examples include sounds generated while playing an instrument where notes are played simultaneously, or waves formed on throwing a stone in a lake. Qubits can be in superposition, that is, somewhere



IBM's quantum computer model

between on and off. This means that if there is more than one option, a quantum computer can go through each option simultaneously and choose the ultimate answer, instead of ruling out previous options individually before checking the next option.

Entanglement is a quantum phenomenon where states of two particles, even if they are physically separated, are tied such that they cannot be described independently of each other. Whatever is the result of measuring one of these particles, the outcome of another one will be mathematically related to it. This correlation is necessary for faster computations through special instructions (algorithms) that can only be written with quantum computers. Just like wave interference, quantum

states can also change (cancel or add) depending on whether they are in phase or out of phase.

Making of a quantum computer

According to IBM researcher DiVincenzo's Criteria, there are five minimal requirements for creating a quantum computer—a well-defined scalable qubit array; an ability to initialise the state of the qubits to a simple fiducial state; a universal set of quantum gates; long coherence times, much longer than the gate-operation time; and single-qubit measurement.

There are different ways to create a qubit. In one of the most commonly used methods, superconductivity is applied to create and preserve hard-to-maintain quantum states. Quantum computers are isolated from any sort of electrical interference and made to operate in an environment at almost absolute zero temperatures to prevent errors while working with qubits. Superconductors also minimise energy loss during transmission.

In order to achieve results close to absolute zero, necessary cooling power is made available and multiple other steps are followed. This includes attenuation during refrigeration to protect qubits from thermal noise during the process of transmitting signals to the quantum processor. Also, cryoperm shields protect the qubits from electromagnetic radiation.

To create a fault-tolerant quantum system, it is necessary to increase the computational power of a quantum computer. For this, higher numbers of qubits are preferable as states increase exponentially with each qubit. Researchers have designed algorithms for sequential quantum operations that can run on fault-tolerant quantum computers for extended periods of time. To ensure that the results are accurate and noise-free, low error rates need to be maintained.