




Figure 1: Bonita *Welcome* page

The *Welcome* page may be blank when you start up Bonita Studio.

To fix this, just install the missing packet *libwebkitgtk* by running the following command in Ubuntu or Ubuntu based systems like Trisquel; and in Debian or Debian based systems like PureOS:

```
sudo apt-get install libwebkitgtk-1.0-0
```

Then the *Welcome* page should look like what's shown in Figure 1.

Before getting started with drawing graphical business process diagrams with Bonita, let us learn more about BPMN first.

Generally, BPMN is classified into the following four categories:

- Workflow (activities, start and end events, sequence flow, gateways)
- Organising (pools, swimlanes or lanes)
- Readability (annotations, links)
- Special behaviour (messages, signals, timers, errors, loops, multi-instance)

Though graphical representation of BPMN is monochrome, for readability, colours are given. In our examples, *Start* events are in green, *Activities* and

intermediate events are in blue, *Gateways* are in yellow, and *End* events are in red.

Workflow includes activities, gateways, events, and the sequence flow that connects them.

Activities are tasks that are performed in the process – by humans, by automation or tasks that activate sub-processes.

Events are used to start or end a process. To manage specific actions during a workflow, an event gets




Figure 2: Link
triggered or is the result of some external process flow.

Sequence flows are used to show how




Figure 3: Activity

workflow moves. A sample sequence flow representation is shown below.

Gateways are used to separate or join process flow.

Organising uses pools and swimlanes. Pools contain a single, complete process and the workflow cannot leave a pool. Swimlanes are used to help organise the process based on who does what (actors). In a lap pool, swimlanes keep the swimmers from crashing into one another, but the workflow crosses swimlane boundaries as if they did not exist and are only for organisational clarity.

For **readability** of the model, annotations and links are used. Links allow you to cut a process that has become too long to read easily and simply continue the process on another line in the same pool.

Special behaviour BPMN symbols include a specific set of events and task markers. These symbols allow users to design executable workflows that can behave in complex ways. Messages and message flow are used to transfer data from one pool/process to another and to relate correlated processes.