

for multiple languages. So it is easier to adapt it in various environments without making major modifications to your existing architecture.

Free and open source: Being free and open source software (FOSS), OrientDB is well tested and customisable. Its cost of ownership is very minimal.

Flavours of OrientDB

OrientDB is available in two major flavours or editions:

- Community edition
- Enterprise edition

The Community edition is available in free and open source mode with an Apache 2 License, which provides unrestricted usage for open source and commercial projects.

The Enterprise edition has some additional features. To name a few: query profiler, distributed clustering configuration, non-stop backup and restore, etc.



Figure 2: OrientDB editions

Getting started with OrientDB

OrientDB can be freely downloaded from <https://orientdb.org/download>. As stated earlier, it is available for all major operating systems such as GNU Linux, Mac OS and Microsoft Windows. To run the OrientDB for the first time, carry out the following steps:

- Download the installer matching the operating system in which you want to install OrientDB. Extract the files to a folder.
- The server can be started by firing *server.sh* (in the case of Windows, run the file *server.bat*).
- During the first run, it will ask for the password for root account. Set the password.
- As OrientDB starts, open your browser and type the following URL: <http://localhost:2480>. If OrientDB is installed properly, you will get the login screen (Figure 3).
- Enter the user name and password (you can create a new DB or choose an existing DB), and you will be redirected to the Studio Home screen (Figure 4).

Connecting from Java

You can use an IDE of your choice to build the code which connects to OrientDB. In the following code, we are creating a vertex class 'Person' and an edge class 'Friend of'.




Figure 3: OrientDB login screen




Figure 4: OrientDB Studio Home screen

```

import com.orienttechnologies.orient.core.db.ODatabaseSession;
import com.orienttechnologies.orient.core.db.OrientDB;
import com.orienttechnologies.orient.core.db.OrientDBConfig;
import com.orienttechnologies.orient.core.metadata.schema.
OClass;
import com.orienttechnologies.orient.core.metadata.schema.
OType;
public class Main {
    public static void main(String[] args) {
        OrientDB orient = new OrientDB("remote:localhost",
OrientDBConfig.defaultConfig());
        ODatabaseSession db = orient.open("test", "admin",
"admin");
        OClass person = db.getClass("Person");
        if (person == null) {
            person = db.createVertexClass("Person");
        }
        if (person.getProperty("name") == null) {
            person.createProperty("name", OType.STRING);
            person.createIndex("Person_name_index", OClass.INDEX_
TYPE.NOTUNIQUE, "name");
        }
        if (db.getClass("FriendOf") == null) {
            db.createEdgeClass("FriendOf");
        }
        db.close();
        orient.close();
    }
}
  
```

You can then run the queries on the graph. Detailed instructions and a demo is available in the official documentation at <https://orientdb.org/docs/3.0.x/fiveminute/java-4.html>