

Now that we have seen the conversation, let's see how each scenario is written step by step using the Rasa framework. We will also gradually learn the concepts of Rasa from these scenarios.

For each scenario we will see the output in UI form.

Scenario 1

College timings

nlu.yml

```
- intent: timings
examples: |
- I would like to college timings
- college time please
- what would the class start and end time
- when college reopen
```

stories.yml

```
- story: college time path
steps:
- intent: timings
- action: utter_timings
```

domain.yml

```
intents:
- timings

responses:
utter_timings:
- text: "The college is not open now we are still working through online"
```

Description

■ rasa run

rasa train: Need to run this after every change we do in the configuration files.

rasa nlu train: This is run if only the nlu is updated, such as nlu.yml, stories.yml and rules.yml.

Once the train is completed, the model will be saved under model/directory. For example, you will get the message: Your Rasa model is trained and saved at `'/Users/dev/Desktop/Technical/Blogs/Chatbot/rasa/models/20210925-140501.tar.gz'`

■ nlu.yml

NLU (Natural Language Understanding) is used to store the training data and extract structured information from user messages. This usually includes the users' intent and any entities their message contains. From the above example, the student can know the college timings; so give some sample input for the bot to learn the student's intention.

■ stories.yml

Stories help the bot to learn dialogue management. They can be used to train models that are able to generalise unseen conversation paths. From the above example, when the user's intention is to know the college timings, the bot will respond to the student's message, saying the "colleges are still operating online."

■ domain.yml

Domain is the key file for the Rasa framework. It specifies the intents, entities, slots, responses, forms, and actions your bot should know about. It also defines a configuration for conversation sessions. From the above example, we have specified the intents and our responses here. The output in UI can be seen in Figure 3.




Figure 3: Scenario 1 — chat with bot, a simple chat

Scenario 2

Course duration for department

nlu.yml

```
- lookup: department
examples: |
```