

```
- rollnumber: true
steps:
- intent: fees_enquiry
- action: action_fees_details
```

domain.yml

```
intents:
- fees_enquiry
```

```
actions:
- action_fees_details
```

```
entities:
- department
- rollnumber
```

```
slots:
rollnumber:
type: any
```

```
responses:
utter_fees:
- text: "For {roll}, fees is {fees} INR."
```

actions.py

```
class ActionShowFeesStructure(Action):
```

```
def name(self) -> Text:
    return "action_fees_details"
```

```
def run(self,
dispatcher: CollectingDispatcher,
tracker: Tracker,
domain: Dict[Text, Any]) -> List[Dict[Text, Any]]:
```

```
roll = tracker.get_slot("rollnumber")
print("Rollno: ", roll)
fees = 0
if( roll ):
fees = 10000
```

```
dispatcher.utter_message(
response="utter_fees",
fees=fees,
roll=roll
)
```

```
return []
```

```
class ActionReceiveRollNumber(Action):
```

```
def name(self) -> Text:
```

```
return "action_save_roll_number"
```

```
def run(self, dispatcher: CollectingDispatcher,
tracker: Tracker,
domain: Dict[Text, Any]) -> List[Dict[Text, Any]]:
```

```
#text = tracker.latest_message['text']
entities = tracker.latest_message['entities']
```

```
roll = None
for e in entities:
if e['entity'] == "rollnumber":
roll = str(e['value']).lower().strip()
```

```
dispatcher.utter_message(text=f"I'll remember your rollnumber
{roll}!")
return [SlotSet("rollnumber", roll), SlotSet("rollnumber_
provided", True)]
```

All the configurations we have learnt so far will remain the same. But this scenario is written to test the bot's memory (slot). Here, the student is not required to enter the roll number again. And in the story we have written, the roll number will be asked for if the student has not provided it, and only then will the fee structure be provided. The output is seen in Figure 6.

Scenario 5

Change of department request

nlu.yml

```
- intent: department_have_been_changed
examples: |
- I have changed from [civil]{"entity": "department", "role":
"from"}
- Have moved from [civil]{"entity": "department", "role":
"from"}

- intent: department_going_to_change
examples: |
- I am going to [civil]{"entity": "department", "role": "to"}
department
- I am changing to [civil]{"entity": "department", "role":
"to"} department
- Will be moving to [civil]{"entity": "department", "role":
"to"} course
```

stories.yml

```
- story: The student moving from another department
steps:
- intent: department_have_been_changed
entities:
```