




Figure 8: Code snippet of malware payload

Drag and drop the executable file into the debugger: To analyse the malware, we now click on ‘show code’ and then read the code. A red flag indicates that the code is obfuscated, and hints at a malicious program. This confirms that the potentially malicious program stays in its bounds and does not break out of the sandbox, providing for safe malware analysis.

The code snippet shown in Figure 8 is part of the malware payload, where the functions and objects are

haphazard and nonsensical, hinting towards code obfuscation and a malicious program.

So we have learnt how to build a Malboxes lab environment for offline malware analysis and also tested it.

Malware today is constructed in such a way that it can detect a VM and may even try to leap out of the environment, onto the host. Hence, performing malware analysis in a controlled environment is recommended. **END** 

By: Thasini T., Rampilla Uttam Abhiram, Kaushik R., Sai Rama Kaushik K.

Thasni T. is an assistant professor in the department of CSE, Presidency University, Bengaluru.

Rampilla Uttam Abhiram, Kaushik R., and Sai Rama Kaushik K. have a keen interest in cybersecurity.

THE COMPLETE MAGAZINE ON OPEN SOURCE

OpenSource
ForYou

The latest from the Open Source world is here.

OpenSourceForU.com

Join the community at facebook.com/opensourceforu

Follow us on Twitter @OpenSourceForU