




Figure 9: Debug console output screenshot



Figure 10: Reader login UI

each with different switch inputs, are used in the flow for BBC, CNN and NDTV, respectively, as shown in Figure 7. The same configuration is applicable for all.

- (v) *Text Dashboard* node: Three such nodes, each with different feedparser inputs, are used in the flow.
- **BBC:** Belongs to webAPI tab BBC group; label: *Now, new on BBC news*
 - **NDTV:** Belongs to webAPI tab NDTV group; label: *NDTV is sizzling with...*
 - **CNN:** Belongs to webAPI tab CNN group, label: *On CNN now!*
- Since the other configurations are the same, only NDTV News is shown in Figure 8.



Figure 11: Web API online media monitoring system

Inference

The *feedparser* node monitors RSS, Atom, and RDF feeds in Node.js. The polling time can be customised, though the default value is 15 minutes. Feedparser is a transform stream operating in 'object mode': *XML in -> JavaScript objects out*. Every readable chunk is an object representing an article in the feed.

The flow in Node-RED for online media monitoring

Property configuration

- (i) *Feedparser* node: Three such nodes, each with different feed URLs are used in this flow.
- **BBC:** http://feeds.bbc.co.uk/news/world/us_and_canada/rss.xml;

- **NDTV:** <http://feeds.feedburner.com/ndtvprofit-latest?format=xml>;
 - **CNN:** http://rss.cnn.com/rss/edition_entertainment.rss;
- As the remaining configurations are the same, only BBC World News is shown in Figure 3.
- (ii) *Template* node - dashboard widget: This is shown in Figure 4.
- (iii) *Switch* node: The filter used is *Matches regex*, which is not case sensitive, as shown in Figure 6.
- (iv) *Change* node: Three such nodes,

By: Dr Maheswari R.

The author is an associate professor at the Vellore Institute of Technology in Chennai, Tamil Nadu.

Screenshots (outputs)

- (i) The debug console output is shown in Figure 9.
- (ii) The dashboard output has a Web user interface. This involves the creation of a Web interface, which consists of a reader's login form to enter user details such as name, mobile number, and email ID (Figure 10). An RSS newsfeed dashboard with three different news sources and news categories is presented in Figure 11. END 🐧