



Figure 5: The open source Twitter font has lots of colour emoticons. This one, though, did not go down well with the thought police.

using the fonts on the end user's device. The best approach is to use whatever fonts that are available. Ideally, merely mentioning *serif*, *sans-serif* and *monospace* in the CSS should be fine but browsers typically choose fonts from very ancient times for the default options. I suggest you use a universal font CSS (stylesheet) like this so that newer OS-optimised fonts are chosen instead.

```
body {
  /* Order: Special,
   *   Android, iOS,
   *   Linux (Liberation, Free, DejaVu),
   *   Mac UI, Windows Vista UI, Windows XP UI,
   *   Mac Unicode fallback, Windows Unicode fallback,
   *   Adobe Standard Type 1, generic
   */
  font-family: "CMU Sans Serif",
    "Roboto", "San Francisco", "Helvetica Neue",
    "Liberation Sans", FreeSans, "DejaVu Sans",
    "Segoe UI", Tahoma, "Lucida Sans Unicode",
    "Last Resort", "Arial Unicode MS",
    Helvetica, sans-serif;
}

h1, h2, h3, h4, h5, h6 {
  /* Order: Special,
   *   Android, iOS,
   *   Linux (Liberation, Free, DejaVu),
   *   Mac, Windows Vista Serif, Windows XP Serif,
   *   Windows Unicode fallback, Mac Unicode Fallback,
   *   Adobe Standard Type 1, generic;
   */
  font-family: "CMU Serif",
    "Roboto Slab",
    "Liberation Serif", "FreeSerif", "DejaVu
Serif",
    Times, Constantia, "Trebuchet MS", "Times New
Roman",
    "Lucida Sans Unicode", "Arial Unicode MS",
```

```
"Last Resort",
    Roman, serif;
}

code {
  /* Order: Special,
   *   Android, iOS,
   *   Linux (Liberation, Free, DejaVu),
   *   Mac, Vista, XP,
   *   Adobe Standard Type 1, generic
   */
  font: normal 1em "Source Code Pro",
    "Roboto Mono", Menlo,
    "Liberation Mono", FreeMono, "DejaVu
Mono",
    Monaco, Consolas, "Lucida Console",
    "Courier New",
    Courier, monospace;
}
```

The corporate control-freak approach is to use a proprietary font with a *@font-face* rule. (This approach forces the browser to redraw the text after the font file is downloaded.)

```
@font-face {
  font-family: 'CNN';
  font-style: normal;
  font-weight: 400;
  src: url(/fonts/cnn.ttf);
}

body { font-family: CNN, Helvetica, san-serif; }
```

The cheaper control-freak approach is to use an obscure font from the Google fonts CDN with a *LINK HTML* tag. (This CDN is actually very slow and forces the browser to redraw the text after a long delay. Until then, large sections of the page will appear blank. Do read my 2019 CodeProject article titled 'How to Make Your Website Serve Pages Faster' for more information.)

```
<head>
  <link rel="stylesheet" href="https://fonts.googleapis.com/
css?family=Gentium">
  <style>
    body {
      font-family: "Gentium", Roman, serif;
    }
  </style>
</head>
```