

Figure 1: FSInt main window




Figure 2: FSInt duplicates




Figure 3: FSInt installed packages




Figure 4: FSInt bad names

can launch it by executing the `fsint-gui` command from the terminal. After launching it, you will be shown the main window of FSInt (Figure 1).

FSInt has a few common interface items. Not every tool uses every interface option, so it is important to understand how these buttons and interfaces work. This will make it easier for you to understand their importance at various times. Let's take a look at detailed examples of each of these tools.

Search path tab: After launching FSInt, you will find the *Search path* tab. This provides *Add* and *Remove* buttons, which allow the user to add or remove one or more directory paths to be searched. By default, it searches from the directory that it has been launched from. If it is launched from the GUI, then it starts searching from the user's *HOME* directory.

On the right hand side of the main windows there is a *recurse?* check box, which determines the depth of the search while searching duplicate files.

Advanced search parameters tab: FSInt allows advanced and powerful filtration with the aid of regular expressions and wild cards. This tab allows the user to exclude certain file

types and directories. By default, it excludes a few directory paths and file types, but the user can easily manipulate these settings with the help of the *Add* and *Remove* buttons.

There is also an *Extra find parameters* text box, which is capable of performing a more refined search. This text box is used to pass parameters to the GNU/Linux's find command. For instance, to search for the files that only belong to the user, Jerry, the user can add the following text: `-user 'id -u Jerry'`.

Select button: By using this button, the user can select specific files from the *results* window. It also provides you the option to select multiple entries using wild cards. This button provides other options as well, but these are self-explanatory. Additionally, the user can bring up the same menu by right-clicking within the *results* window.

Save button: Besides the *Select* button, there is a *Save* button. After selecting files, the user can save the search results on the disk. Please note that this will save only the absolute path of the files and not the files themselves. This option is useful if you are planning to do more advanced tasks like providing this result to some automated script.