

Supported Language Environments	Supported Databases	Supported Frameworks
• Haskell • Java • JavaScript • .NET[4] • Perl • PHP • Python • Ruby	• Microsoft SQL Server[4] • MongoDB • MySQL • PostgreSQL	• Node.js for JavaScript • PSGI for Perl • Rack for Ruby • WSGI for Python

Figure 1: Supported technologies




Figure 2: Select the type of application




Figure 3: WordPress configuration on OpenShift-I

OpenShift supports Web-application frameworks such as Rack for Ruby, WSGI for Python and PSGI for Perl. It also supports MySQL, PostgreSQL and MongoDB. It has built-in support for Java, Python, PHP, Perl, Node.js, Ruby and extensible functionality to add languages. For Java, it covers end-to-end support for JBoss AS7, JBoss EAP6, Java EE6, CDI/Weld, Tomcat 6 and 7 (JBoss EWS 1.0 and 2.0), Spring, Liferay, Scala/Play!, Cloud9 IDE, Appcelerator Titanium, Git, Glassfish as DIY, Jetty as DIY, Eclipse, JBoss Tools, Jenkins, SSH access, Maven 3 and Ant. OpenShift offers a Linux platform with lightweight containers called gears that can run applications with open source languages and frameworks, using common services such as databases, as shown in Figure 1.

OpenShift uses Git to deploy application source code. It

also allows deployment of WAR files.

The benefits of OpenShift are:

- Easy and fast self-service for application deployment
- Easy application scaling
- Runs on any hardware, virtual machine, cloud or even on laptops that support Red Hat
- Enterprise Linux
- Git integration with automatic deployment triggered by a Git push
- Gear idling allows OpenShift to support a high density of applications
- Support for various languages, Web frameworks, databases and application stacks

How to install OpenShift Origin or OpenShift Enterprise

To install OpenShift Origin, copy the sh `<(curl -s https://install.openshift.com/)` command and run it from a bash shell.

To install OpenShift Enterprise, copy the sh `<(curl -s https://install.openshift.com/ose)` command and run it from a bash shell.

Table 1: Parameters to execute commands

Short parameter	Full parameter	Explanation
-u	--username USERNAME	Red Hat login username
-p	--password PASSWORD --use-existing-puppet	Red Hat login password
-a	--advanced-mode	It enables access to the database server and message server for customisation
-c	--config-file FILEPATH	Provides a path to an alternate configuration file
-w	--workflow WORKFLOW_ID	Represents installer workflow for unattended deployment
-l	--list-workflows	Lists the workflow IDs available for use with unattended deployment
-e	--enterprise-mode	Shows OpenShift Enterprise options
-s	--subscription-type TYPE	Software source for installation packages
-d	--debug	Enables debugging of messages

OpenShift Online

OpenShift Online is a public cloud application development and hosting platform from Red Hat. It automates the